



Bulk Rate  
U.S. Postage  
PAID  
Chattanooga, TN  
Permit No. 357

# Color Micro Journal™

The Color Computer Monthly Magazine

\$1.95 per issue Vol. 1, Issue 3 November 1983

## THIS 'N THAT

### CoCo 2 Disk Controller

When we made our "First Look" Report on the new Radio Shack Color Computer 2 last month, we discussed the fact that it has no +12 Volt DC Line, which would cause problems with the Disk Controllers, because they require the +12 Volts for the "Write Pulse Width" reference voltage and as a power source for the WD1793 Controller Chip. The information we had at that time indicated that a 5 Volt Disk Controller would not be available, so we speculated that the normal procedure would be to use a Radio Shack Multi-Pak for the Disk Controller with the Color Computer 2.

We are happy to say that there WILL be a 5 Volt ONLY Disk Controller available shortly; in fact, as soon as the 'in stock' Controllers are gone, that is the only one that will be sold by Radio Shack (it will work with ANY of the Color Computer Series, because they ALL have at least the +5 Volt Line going to the Cartridge Slot). Our information is that the 5 Volt Controllers will be in the 'off-white' cases that match the Color Computers now being sold. So, OFFICIALLY, there WILL be a Disk Controller from Radio Shack for the CoCo 2's.

While on the subject of Disk Controllers for the Color Computers, we have seen a few 'third party' units advertised, but have only seen one, so far, to report on. That is the RDC-1 from F & D Associates, 1210 Todd Road, New Plymouth, OH 45654. F & D has been supporting the SS-50 Bus community with PC Boards and, in a few cases, Kits, for a few years, and have

Continued on page 22

## LINKING LOADER

for both  
RS DOS and RS FLEX

Copyright (c) 1983 by Roland Waggoner  
and Computer Publishing Inc.  
All rights reserved

### INTRODUCTION

The scope of this article is to discuss programming in Assembly Language (or any language) using program modules, alternate ways of using program modules, and a description and listing of a Loader and a Linking Program.

There are at least three reasons for breaking a large program up into smaller modules. Small modules are easier to understand than a long program. It is usually easier and faster to break any complicated project up into smaller, simpler projects. You will save memory by putting repeated code into a subroutine. General purpose routines can be put into a library and used by many programs. You won't have to rewrite the routine for every new program.

There are a number of ways to use subroutines. BASIC programmers often have to include the code in the program. You can do that for other languages as well. This is OK for subroutines that are specific to the application, and all the source code is in one place for examination. However, if there are many subroutines, the source code could become quite large, especially for assembly language programs.

Continued on page 6

Price \$16.50 per year, \$1.95 per copy  
Color Micro Journal is published  
monthly by Computer Publishing Inc.,  
5900 Cassandra Smith Rd., Hixson, TN  
37343. POSTMASTER: Send address  
changes to Color Micro Journal, 5900  
Cassandra Smith Rd., Hixson, TN  
37343. For change of address: Six  
weeks notice to Subscription Dept.,  
5900 Cassandra Smith Rd., Hixson, TN  
37343. Give old and new address and  
zip code. If possible enclose address  
label from cover of previous issue.

## MICROBOOKS

A SMALL BUT HARDWORKING BOOKKEEPER

16K, Ext. Basic

### THE IDEA

I was a little amused, some time ago, when I saw a letter to a computer magazine editor asking for business programs for the 4K Color Computer. But, MICROBOOKS has become almost that. In its' shortest form the program could get about 100 entries into a 4K CoCo. At the same time it will do a pretty fair job with the books of a small business, given certain concessions.

Continued on page 9

## This Month

Editorial  
This 'N That . . . . . 1

Article  
Linking Loader for RS & CoCo  
FLEX (Pt. 1) - Waggoner . . 1  
Some basic BASICS about Disk  
Systems - LaLone . . . . . 27

Programs  
MICROBOOKS; A Tape-Based BASIC  
Prog. for Small Business Use  
- LaLone . . . . . 1  
COPYNEW; A BASIC Disk Utility  
- Stark . . . . . 4  
LANDER; A BASIC "Lunar Lander"  
Game for 4K - Toscani . . . 20  
GRAPHIC LETTERS; Use a BASIC  
Subroutine to Display Gra-  
phics Letters - Stumpf . . 25  
PRINTDUMP; a BASIC Program to  
Dump Graphics to a Paper  
Tiger - Euton . . . . . 28

Reviews  
TUTOR - Williams . . . . . 27



# THE PROGRAM STORE

## Take a Christmas vacation to the Arcade Isle...

### Joystick Adapter

from WICO

You can use any two, Atari compatible joysticks with your TRS Color Computer using the Wico Adapter. Can also be used with Joyboard or Joy Sensor. And if you need a longer cable, get either a six or twelve foot length extension cord.

#34243 CoCo Adapter \$17.95  
#35223 Six Ft. Ext. \$4.95  
#41296 Twelve Ft. Ext. \$7.95



### The Joyboard

from Amiga

We sell over fifty types of joysticks but this is the most unusual. All of your OLD games become a new challenge when you use your whole body to play! Yes, your entire body is at the controls — you lean and tilt in 8 possible directions to glide, dive and zoom through the universe of computer games. Heavy duty for up to 250 lbs and the special base allows use on virtually all surfaces.

The joyboard will work with the Color Computer with the Wico Adapter (see above).

#43322 Joyboard \$49.95



### Joy Sensor

from Suncom

No more blisters, no more sore hands. This is the stickless "joystick" which uses a touch sensitive panel. It also includes a rapid fire "button" and you can flip a switch to play in four directions, not the usual eight (great for games). It's brand new and will make a perfect gift.

#31059 Joy Sensor \$34.95

We are so sure that you will like the Joy Sensor, we will give a free 30 day trial in your home. If you decide you don't like it, then just return it in salable condition and we will give you a refund, no questions asked.



### The Frog

from Tom Mix

Cross the frog across the busy highway to the safety of the median. The swollen river with hidden hazards is the next barrier in this arcade wonder.

#26132 16k Tape \$27.95  
#26907 16k Disk \$30.95



## YOUR COMPUTER JUST GOT A WHOLE LOT SMARTER...

Let's face it, your home computer is only as smart as the software you use. Where do you find enough programs to make it more intelligent? At The Program Store! Nowhere else can you find more programs — to communicate, to educate and entertain. This is just a sampling — call or come into one of our stores to find out how to make your computer smarter!

### Zaxxon

Official Arcade Version from DataSoft

Now for your home, combines 3 dimensional effects, unique color graphics and realistic sound effects. Arcade action while you maneuver your ship through a battlefield of enemy missiles, guns and planes to meet your match in the deadly Zaxxon Robot armed with a lethal homing device.

#35963 32k Tape \$39.95  
#30328 32k Disk \$39.95  
NOW 20% OFF  
UNTIL NOV. 30  
FOR \$31.96



### The King

from Tom Mix

How high can you climb? Use the practice game to test your skills. Become an expert at this arcade style game filled with exciting sound and realistic action. For 1 or 2 players. There are 4 screens; barrels, pins, jacks and conveyors. Reach the hammer if you're fast and strong.

#43029 32k Tape \$26.95




### Cubix

from Spectral Associates

New full featured arcade quality game that has multiple mazes. Bounce your man through the cube maze avoiding the snake and tumbling balls. Joystick experience necessary for this Hi-Res, fast action arcade classic.

#32049 32k Tape \$24.95  
#18537 32k Disk \$28.95



### Buzzard Bait

by Rugby Circle from Tom Mix

You fly from cloud to cloud atop your bird defending yourself from savage buzzards. Sky high excitement in this high resolution arcade hit.

#29708 32k Tape \$27.95  
#29854 32k Disk \$30.95



### Lunar Rover Patrol

from Spectral Associates

Another arcade special where you bump along the moon's surface firing at a barrage of obstacles. Machine language with sound, bombs, missiles, tanks and more.

#35468 32k Tape \$21.95



### Flight

by Hooper & Barnes from Prickly Bear

Fantastic, hi-res graphic flight simulator has 2 speeds, 4 difficulty levels, views from top and side, instrument panel and realistic joystick control. Don't crash or have to "go around!" Can you land on the runway to hear the synthesized voice say "perfect landing?" Requires Extended Basic.

#33556 32k Tape \$19.95  
#30115 32k Disk \$24.95  
NOW 20% OFF UNTIL NOV. 30 FOR  
\$15.96 AND \$19.96



### Moon Shuttle

Official Arcade Version from DataSoft

Pilot your moon shuttle to meet your destiny — The Prince of Darkness. Out maneuver spinning rockets, dodge life threatening man-o-wars, meteors, bomb launchers and expandos. Suddenly your flight becomes more perilous as enemy forces multiply. Test the outer limits of your instinct for survival.

#27302 Tape & Disk \$29.95

Also available  
Dallas Quest  
#40352 Tape \$39.95



Over 2500 Programs for TRS-80, ATARI 400/800, APPLE, IBM, VIC 20 & C64

This is only a sampling of our sensational software!  
CALL 800-424-2738 FOR OUR NEWEST PRODUCTS

UNDECIDED? NEED TO BUY A GIFT? The Program Store gift certificate may be purchased in any amount over \$10.00. Give the perfect gift!

#### VISIT OUR STORES

Southwest Plaza, 6501 West Bowles Ave., Littleton, CO  
Tenley Mall, 4200 Wisconsin Ave., NW, Washington, DC  
Harvard Square, 13 Dunster St. Cambridge, MA  
W. Bell Plaza, 6600 Security Blvd, Baltimore, MD  
White Flint Mall, Rockville Pike, Rockville, MD  
Cherry Hill Mall, Rt 38 & Haddonfield Rd, Cherry Hill, NJ  
Monmouth Mall, Rt 35 & Wyckoff Rd, Eatontown, NJ

Willowbrook Mall, 1400 Willowbrook, Wayne, NJ  
Nanuet Mall, Rt 59 & Middletown Rd, Nanuet, NY  
Olan Mills Plaza, 829 Bethel Rd, Columbus, OH  
Westmoreland Mall, Rt. 30 East, Greensburg, PA  
Montgomery Mall, 230 Montgomery Mall, North Wales, PA  
Plymouth Meeting Mall, 500 Germantown Pike, Plymouth Meeting, PA  
Century III Mall, SR 51 & SR 885, West Milford Borough, PA  
Seven Corners Center, Falls Church, VA

#### COMING SOON TO:

CHICAGO  
OKLAHOMA CITY  
ST. PETERSBURG  
TAMPA  
TULSA

FRANCHISE  
OPENINGS IN  
SELECTED CITIES

To Order Call Toll Free 800-424-2738 For Information Call (703) 556-9778

Mallorders: List computer, item, item #, qty, tape/disk, rom, book, price, shipping, tax & total  
Send check or M.O. for total purchase plus \$2.00 shipping and handling. VA add 4% sales tax  
Charge cards — include all embossed information. List name, address, city, state, zip & phone

SEND 25c FOR OUR COMPLETE COLOR COMPUTER CATALOG

THE PROGRAM STORE Dept. 09-11-3 Box 9582 4200 Wisconsin Avenue, NW Washington, D.C. 20016



THE  
PROGRAM STORE®

© 1983 THE PROGRAM STORE

# Build performance into your system

## with OS-9<sup>™</sup> software tools

Unix<sup>®</sup>-based, multitasking, modular, and versatile: these key features are some of the reasons why more 6809 computer manufacturers have selected OS-9 as their standard operating system than any other. And OS-9 has been put to work by thousands of users in almost every conceivable computer application in business, science, industry, education, and government.

Your operating system should not be a barrier between you and your computer. OS-9 is very friendly and easy to use. Its modular structure makes it easy to customize, plus its comprehensive documentation shows you exactly how to interface it to just about any I/O device.

OS-9's advanced features unleash the performance potential of almost any 6809 computer — large or small. In many respects the OS-9/6809 combination is more powerful than many *minicomputers*!

There are two basic versions of OS-9. Both have the same basic features and capabilities. OS-9 Level One runs on small to medium sized systems having up to 64K memory. The Level Two version runs on medium to large size systems having memory management hardware and up to 1 megabyte of memory, and includes record and file locking for multiuser database applications.

Here are just a few reasons why you should insist on OS-9 for your microcomputer system.

Over 40 utility commands

Friendly "Shell" command interpreter

Tree-structured multilevel file directories

Full timesharing support with log-in and file security  
Fast, secure random and sequential access files  
Comprehensive English language error messages  
Compact real-time multitasking executive  
Hardware or software memory management  
Device independent interrupt-driven I/O  
Fully ROMable for small control systems  
Standard versions available from manufacturers of most popular 6809 computers

### OS-9 PASCAL Language Compiler

most complete and versatile PASCAL available for the 6809  
capable of generating P-code for interpretive execution while debugging OR  
highly optimized 6809 assembly language source code output for maximum speed  
"virtual memory" P-code interpreter lets you run large PASCAL programs

### CIS COBOL \*\*\* Compiler

Ideal for most demanding business applications  
features ISAM, Debug, ACCEPT/DISPLAY and Interprogram Communications modules  
retains full compatibility with CP/M software  
meets ANSI 1974 Level One COBOL standard and is GSA certified  
Also available-FORMS 2 automatic program generator for easy interactive design of screen oriented applications.

### BASIC09<sup>™</sup> Structured Basic Interactive Compiler

fastest and most comprehensive full Basic language available for the 6809  
combines standard Basic with the best features of PASCAL  
features compiler speed, interpreter friendliness and superlative debugging facilities  
option available: Run Basic ROMable run-time system for compiled BASIC

### C Language Compiler

complete implementation of the UNIX version 7 C language  
includes INT, CHAR, SIGNED, UNSIGNED, FLOAT AND LONG data types, structures, unions, standard C library and a preprocessor with macro definitions  
generates fully relocatable 6809 assembly language source code output

For more information contact your computer supplier or



**MICROWARE**

Microware Systems Corporation  
5835 Grand Avenue, Des Moines, Iowa 50312  
515-279-8000  
910-520-2635

\*Unix is a trademark of Bell Laboratories. \*\*\*CIS Cobol is a trademark of Micro Focus, Inc. OS-9<sup>™</sup> and BASIC09<sup>™</sup> are trademarks of Microware, Inc.

# COPYNEW

## COPYNEW - A DISK COPY UTILITY

Peter A. Stark  
Star-Kits  
P. O. Box 209  
Mt. Kisco, NY 10549

Although the Color Computer's disk system has all the commands needed for use with Basic, their command structure is sometimes a bit awkward.

Take, for example, the COPY command. To copy a file from one disk to another requires that you specify the full file name of both the source file and the destination file. Moreover, if a file with the same name already exists on the destination disk, you get an error message and must start all over again.

While this is not too bad if all you want to do is copy a single file, it is downright annoying if you want to copy several files at once. Which leads me to the reason for writing a (fairly) simple Basic program called COPYNEW.

COPYNEW requires that you have two disk drives. To copy a set of files from one disk, simply place the source and destination disks into two different drives, RUN COPYNEW, and enter the drive numbers of the source and destination drives when requested.

Given the drive numbers, COPYNEW reads the directory on track 17 of the destination disk and copies it into arrays in memory. In this way it determines which files are already on the destination disk.

Next, it reads the directory of the source disk. As each directory entry is scanned, COPYNEW checks to see whether a file by that name already exists on the destination disk. If the name is found in the destination directory, COPYNEW also checks a byte in the directory entry which indicates how many bytes there are in the last sector of the file, and compares it with the corresponding byte on the source disk.

There are now three possibilities:

1. The file name already exists on the destination disk, and the number of bytes is the same. In that case COPYNEW simply displays the file name on the screen and tells you that the file already exists, and then goes on to the next file.

2. The file name already exists on the destination disk, but the number of bytes is different. Now COPYNEW displays the file name, but points out that the files appear different and asks whether you want to delete the old file on the destination disk and substitute the one from the source disk. You need just answer Y or N, and COPYNEW takes over.

3. The third possibility is that the file name does not exist on the destination disk, in which case COPYNEW tells you so, and asks whether you'd like to copy it. Simply answer Y or N.

It's a fairly simple and fast matter to go through the entire directory and just answer Y or N to have as many files copied as you'd like.

The test to compare whether two files are identical is only a rough one, and not very reliable. It is quite possible that two files are completely different, and yet the number of bytes

in their last sector is the same. The only foolproof way to compare the two would be to read each one and do a byte-by-byte comparison; a process which would take quite a bit of time. I therefore settled on the above method, knowing full well that occasionally it might make a mistake. From the point of view of probability, there is one chance in 256 that two different files will have the same number of bytes in their last sector.

There is one rule I always follow to reduce this chance. Whenever I update any program, I always make sure to make it just a bit longer or shorter. In that way, if I ever use COPYNEW on two disks that have different versions of the same program, I will notice the difference and make a conscious effort to determine which is older and change it.

```
10 CLS: VERIFY ON
20 PRINT "COPYNEW - (C) 1982 BY
   PETER A. STARK."
30 CLEAR 2000
40 DIM DN$(68),L(68) 'DEST FILE
   NAMES AND LENGTHS
50 INPUT "COPY FROM DRIVE NUMBER
   "; D1
60 IF D1<0 OR D1>3 THEN 50 ELSE
   70
70 INPUT "COPY TO DRIVE NUMBER";
   D2
80 IF D2<0 OR D2>3 THEN 70 ELSE
   90
90 IF D1=D2 THEN 50
100 DN=0
110 S1$=":" + RIGHT$(STR$(D1),1)
120 S2$=":" + RIGHT$(STR$(D2),1)
130 'FIRST, READ FILE NAMES ON D
   ESTINATION DISK
140 FOR SE=3 TO 11
150 DSKI$ D2,17,SE,A$,B$ 'READ N
   EXT DIR SCTR
160 A$=A$+LEFT$(B$,127)
170 FOR J=1 TO 225 STEP 32
180 IF MID$(A$,J,1)=CHR$(255) TH
   EN 240 'LAST ENTRY
190 IF MID$(A$,J,1)=CHR$(0) THEN
   220 'DELETED ENTRY
200 F$=MID$(A$,J,8)+"/"+MID$(A$,
   J+8,3)
210 DN=DN+1 : DN$(DN)=F$
215 L(DN)=ASC(MID$(A$,J+15,1)) '
   LENGTH
220 NEXT J
230 NEXT SE
240 'NOW DO ACTUAL COPY
250 FOR SE=3 TO 11
260 DSKI$ D1,17,SE,A$,B$ 'READ N
   EXT DIR SCTR
270 A$=A$+LEFT$(B$,127)
280 FOR J=1 TO 225 STEP 32
290 IF MID$(A$,J,1)=CHR$(255) TH
   EN END 'LAST ENTRY
300 IF MID$(A$,J,1)=CHR$(0) THEN
   600 'DELETED ENTRY
310 F$=MID$(A$,J,8)+"/"+MID$(A$,
   J+8,3)
320 L=ASC(MID$(A$,J+15,1)) 'LENG
   TH
370 'REM SEARCH DEST DRIVE
380 IF DN=0 THEN 560
390 FOR K=1 TO DN
400 IF DN$(K)=F$ AND L(K)=L THEN
   PRINT F$; " EXISTS" : GOTO 600
   'COPY EXISTS
405 IF DN$(K)=F$ THEN 440 'EXIST
   S BUT DIFFERENT
410 NEXT K
420 GOTO 560
430 'COPY EXISTS BUT HAS DIFFERE
   NT LENGTH
440 PRINT F$; PRINT " EXISTS BUT
   IS DIFFERENT."
450 PRINT "          -- COPY IT? ";
460 C$=INKEY$ : IF C$="" THEN 46
   0
```

```
470 PRINT C$
480 IF C$="N" THEN 600
490 IF C$<>"Y" THEN 440
540 N2$=F$+S2$
550 KILL N2$
555 GOTO 570
560 'NO COPY EXISTS
561 PRINT F$; " DOES NOT EXIST."
562 PRINT "          -- COPY IT? ";
563 C$=INKEY$ : IF C$="" THEN 56
   3
564 PRINT C$
565 IF C$="N" THEN 600
566 IF C$<>"Y" THEN 561
570 N1$=F$+S1$
580 N2$=F$+S2$
590 COPY N1$ TO N2$
600 NEXT J
610 NEXT SE
```

## COLOR MICRO JOURNAL

SEND ALL CORRESPONDENCE TO:

Computer Publishing Center  
COLOR MICRO JOURNAL  
5900 Cassandra Smith Rd.  
P.O. Box 344  
Hixson, TN 37343  
(615) 842-4600

Entire contents Copyrighted by  
Computer Publishing Inc. (CPI) 1983

### Editorial Staff

Don Williams Sr.	Publisher
Robert L. (Bob) Nay	Editor
Thomas E. Williams	Production Editor
Larry E. Williams	Advertising Editor

### Administrative Staff

Mary Robertson	Office Manager
Joyce Williams	Accounting
Carolyn Williams	Accounting
Penny Williams	Subscriptions
Deborah K. Pike	File Management

### Items Submitted for Publication

COLOR MICRO JOURNAL is actively soliciting contributions for publication. We are looking for ANY type of material that will be useful to a Color Computer Owner; from hints to full Programs and Construction Articles. We will pay for submissions based on a number of criteria. If you wish payment for a contribution, be sure to state these requirements with your submission. ALL submissions must contain a statement that the material is not currently under consideration by another publication. For more detailed information, send a SASE to the Editor, COLOR MICRO JOURNAL, P.O. Box 344, Hixson, TN 37343.

Articles submitted for publication should be accompanied by the authors Full Name, Address, Date, and Telephone Number. It is preferred that articles be submitted as a .TXT file on a FLEX Formatted 5 or 8 inch Disk, or as an ASCII file on a Radio Shack Disk or Tape (a .DAT file). BASIC Programs should be submitted on Disk or Tape in the normal Binary Format.

If articles are submitted on paper, they should be either Typed or Printed Single Spaced with a MAXIMUM Line Length of 4" on normal 8 1/2" x 11" bond or better paper. A good BLACK Ribbon must be used because all paper submitted articles will be photo reproduced. NO hand written articles will be accepted (except required art work which goes with an article). Again, PLEASE use a DARK Ribbon.

All letters to the editor should also comply with the above and MUST bear a signature. Letters of 'gripes' as well as 'praise' are solicited. We attempt to publish all letters to the editor verbatim; however, we reserve the right to reject any submission for lack of 'good taste'. We also reserve the right to define what constitutes 'good taste'.

Advertising: Commercial advertisers please contact the COLOR MICRO JOURNAL advertising department for current Rate Sheet and Requirements.


TRS-80C, Color Basic, Extended Color Basic, and Disk Color Basic are trademarks of the Tandy Corp. FLEX and UNIFLEX are trademarks of Technical Systems Consultants, Inc. OS-9 and BASIC09 are trademarks of Microware Systems Corp. UNIX is a trademark of Bell Laboratories.

Color Micro Journal


# SORTC\*\* for OS9\*

## THE ONE AND ONLY

LIKE THIS:



NOT LIKE THIS



## BOLDLY GOING WHERE NO SORT HAS GONE BEFORE


SORTC is a high speed, full-record compounding disk sort, which gives microcomputer users mainframe capabilities. It has been specifically designed to sort data efficiently while offering the user great flexibility in designing sort programs. It is written in BASIC09\* for use under OS9.

### COMPOUNDING FUNCTION

SORTC has the capability of summing user-specified numeric fields on equality of keys. This allows significant savings in memory, disk space, and program development time. A reduction in the number of disk accesses required when compared to other sorts is inherent in the design of SORTC.

### DISK BASED

Specifically designed to sort large volumes of data, SORTC imposes no size restrictions on the amount of data to be sorted. It also places no limits on the number of sort keys which can be used or the order in which the keys are sorted. Furthermore, the sort procedure can be performed as many times as necessary within the same program. This feature allows the programmer to take advantage of any existing data bias, and possibly even reduce the size of the sort key.



**JBM'S MIDDLEWARE**

\*OS9, BASIC09 are registered trademarks of Microware Corporation.

\*\*Uses the same algorithm as JBM's SORTC for Digital Equipment Corp. RSTS Systems.

### ADVANCED DESIGN

While most disk sorts are partially based upon the Fibonacci series, SORTC is not. SORTC is a generation ahead of the normal sorts based upon the "Fib series". Its unique algorithm is automatically optimized at run time for a reduction in workspace, reduced # of disk accesses and shorter run times. Designed to be as "crash proof" as possible, the sort procedure will not abort if it is accidentally asked to sort zero items.

### EASY TO USE

It is not difficult to design a program which will use JBM's SORTC. Since SORTC is a subroutine, the user may write any procedure he or she wants to format the data for sorting and then to process the sorted data. The sorted data need not be written back to disk, but instead is immediately available. The sort code is automatically inserted into the source procedure by a simple Sort Generator.

### ORDERING INFORMATION

SORTC, from JBM's MIDDLEWARE line of quality software, is available on either five and one-quarter or eight inch diskettes for a price of \$150.00. All of JBM's software packages come complete with comprehensive user's manuals.

For more information, or to place an order, contact:

DEPT. FSEA  
The JBM Group, Inc.  
332 West Church Road  
King of Prussia, PA 19406  
TEL: 215-337-3138  
TWX: 510-660-3999

the **JBM**  
group

VISA and MASTERCHARGE accepted.

# LINKING LOADER

Continued from page 1

Many editors used on micro-processors are limited to the size of the files they can process. Large Assembly Language programs take a long time to assemble, and an excruciatingly long time to print on the printers available for home use at home budgets. You also have to code any general purpose routine into EACH program.

You could keep each general purpose subroutine (module) in its own file, and merge it with the mainline code at assembly time (either by insetting the code in the source with the editor, or including it during assembly with INCLUDE or LIB calls). Then the main program would fit editor buffers better. However, at assembly time you still have a long assembly to process with the same problems mentioned in the last paragraph, as well as some other problems. You would have to be careful of conflicts between label and variable names. I once tried to set up a system of BASIC subroutines by assigning blocks of variable names and line numbers to the subroutines, and not use those names or numbers in the main programs. It worked, but it was hard to manage.

The other problem with this method is that you have to merge the modules manually, remembering the modules that the subroutines need.

You could merge binary modules after assembling. There would be no conflict with variable names, but you would still have to remember to include the dependent modules. The big problem with this method is providing the entry points of the subroutines to the calling routines.

## DESCRIPTION

This brings us to the main feature of this article, the description of a **Linking Loader**. A "Linking Loader" is a Program which merges a Main Program with subroutines that are not defined (included) within the Source Code of that Program. In addition to merging the modules, it provides a means for routines within the complete program to locate these added modules.

The **Linking Loader** described here consists of a Loader Program and a Linking Module that becomes part of the main program. The Loader merges the main program with the required subroutines, as well as any subroutines within these subroutines. It also loads the Linker Module and saves the whole program to disk. The modules are stored in individual files on a disk. I have not written a library editor for this system yet. The entry point of the Linker becomes the transfer address of the main program. At run time, the Linker copies the entry points of the subroutines into a Jump Table. The calls to the subroutines MUST be indirect calls to the jump table.

There are assemblers available (that run under the FLEX Operating System) which can generate relocatable code and include a Linking Loader, and many compilers have the same facilities. The program I am proposing here will work with ANY assembler, but requires a little extra effort on the programmers part.

There are some programming conventions you will have the follow in designing each module that you want to link. You will have to code two new sections in each module, including the main program. Each section is simple, and in the final program does not use much memory. One section can be overlayed, so will not use any memory at all in the final product. You must assemble the subroutine modules at location zero and code them in position independent code. You can code the main program ANY WAY you like. The Loader appends the subroutines to the end of the main program.

Each module must have a program "preface" which must be at the very beginning of the module. The program preface is 9 bytes long, and contains the following 5 elements.

name	size in bytes	function
module number	1	module identifier
execution address pointer	2	pointer to entry point
next module pointer	2	pointer to next module
load list	2	pointer to load list
initialization	2	pointer to initialization routine.

The term 'pointer' means the value in the field is the offset from the beginning of the module. I will describe these terms in detail later.

The second section you must code is the **list of external modules**. This is the list of Filenames of the files which contain the subroutines. Since there is no library editor, each file must contain only ONE module. Each Filename must be in Radio Shack Format format followed by a one byte binary zero (\$00) for the Radio Shack DOS, or in FLEX format followed by a one byte binary 4 (\$04) for the FLEX DOS. The list MUST be terminated with a hex FF (-1). The offset to the list is in the preface.

When the Loader loads a module, it builds a table of external filenames. It then loads each module in the list and appends it to the end of the last module. The end of the module is pointed to by the next module pointer in the preface. If the modules have a load list, those names are added to the program load list if they are not already in the list.

You can code the list anywhere you like, but it is best to code it at the end of the program. The Loader needs the load list only while loading. If it is at the end of the program, it can be overlayed by the next module, saving a significant amount of memory. You can accomplish this by making the next module pointer and the load list pointer point to the same address.

After loading all of the specified modules, the Loader loads the Linker and copies the program to disk. The program is now ready to execute.

## EXAMPLE PROGRAM

As an example, let's code a program which gets a character from the terminal, calls a subroutine to convert the character to upper case if it is lower case, and display the character on the screen. The jump table has been located at \$0E00.

```
TOUPPER EQU $0E04      ADDRESS LOADED INTO $0E20
*                        BY THE LINKER
PREFAC ORG $0F00
      FCB 0             MODULE NUMBER
      FDB MAIN-PREFAC EXECUTION ADDRESS
      FDB XTRN-PREFAC NEXT MODULE LOAD ADDRESS
      FDB XTRN-PREFAC EXTERNAL SUBROUTINE TABLE
      FDB 0             INITIALIZATION ROUTINE
* END OF PREFAC

MAIN JSR [$A000] GET CHARACTER FROM KEYBOARD
     JSR [TOUPPER] CONVERT TO UPPER CASE
     JSR [$A002] DISPLAY ON SCREEN
     RTS RETURN TO BASIC
XTRN FCC 'TOUPPER.LIB',0
     FCB $FF
     END PREFAC
```

The module number really isn't used in the Main Program, but it is needed to fulfill the requirements of the preface. Notice how the pointers in the preface are coded. The values in the pointer fields of the preface must be offsets from the beginning of the program, which is the beginning of the preface, to the code the field represents.

Notice that the next module pointer points to XTRN. Remember in a previous paragraph, I pointed out that the filename list is needed only by the Loader. It copies the filenames into a table after it loads the module. It can then overlay the filename list with the next module. A program which calls many subroutines could have a large filename list, requiring hundreds of bytes. You can save a lot of memory this way.

Also note that the initialization routine pointer is zero. That means there is no initialization routine. If there was an initialization routine, its pointer would be coded like the others. The initialization routines are called by the linker before passing control to the main program. If there were no external subroutines, that pointer would be zero also. There must be a pointer pointing to the entry point.

Now let's code TOUPPER.

```
ORG 0      SUBROUTINES START AT 0
PREFAC FCB 2      MODULE NUMBER
      FDB TOUPPER ENTRY POINT
      FDB TERM NEXT MODULE
      FDB 0 NO EXTERNALS
      FDB 0 NO INITIALIZATION
TOUPPER EQU 0 BEGIN CODE
      CHPA 0'a GO IF NOT LOWER CASE ALHPA
      BLO EXIT
      CHPA 0'z
      BHI EXIT
      SUBA $020 CONVERT TO UPPER CASE
EXIT RTS
TERM EQU 0 NEXT MODULE
      END PREFAC
```

Notice that the load address is zero. This is mandatory for subroutines, but the Main Program can load ANYWHERE in memory. It is not apparent from this example, but subroutine modules must be written in position independent code. This is because they may be loaded anywhere in memory. Main programs do not have to coded in position independent code.

Compare the module number with the address of the jump table entry which is defined in the main program. Notice that the address of the module's jump table entry is \$0E04, or 4 bytes from the beginning of the jump table. That is twice the value of the module number. That is how the Linker determines where in the jump table the entry point of the module will be

stored. As a result, all modules which will be used in the same program must have unique module numbers.

Since this module doesn't call any external subroutines, or have an initialization routine, those pointers are 0.

A listing of the Loader program is provided with this article. The program is available on disk from Southeast Media Supply, P.O. Box 794, Hixson, TN 37343, (615) 842-4601, on a Radio Shack Color Computer or FLEX formatted disk, for \$39.95. The Radio Shack Disk contains the Assembled File, "LOADER.BIN", and the Source Code for use with the Micro Works MACRO-80c Assembler. The FLEX Disk includes the Source only, so that it can be assembled either way, for the TSC Macro Assembler. The major differences are in the I/O routines. A description of the code follows.

#### The LINKING LOADER Programs

BASIC's stack is saved for return to BASIC. By setting the buffer end 50 bytes below the stack, the buffer size is automatically set according to the amount of memory (you may need to adjust this if your program will require more Stack space).

The user is prompted to enter the Input and Output Filenames. The input file is the binary main program. The output file will contain the merged main program and all the external subroutines. If the output file is not named, the output will overlay (REPLACE) the input file with the Radio Shack DOS; FLEX will assign the Input Filename with a CMD Extension. The default extension is BIN.

The filenames are broken into their constituent parts by calls to the operating system in the subroutine PARSEFN. This will be described later.

In the routine labelled MAPDSP, the output device for the load map is specified. The map can be directed to the Screen or the Printer. The output device number is stored in DSPDVC. The default is the Screen.

The code at the label LOAD is where the load is initialized. The main program is loaded first. The flag MODCNT is reset to indicate that the main program is being loaded. Some of the buffer pointers are initialized. LDADD contains the address of the module currently being loaded. RECADD contains the address of the binary record currently being loaded. MODTAB points to the next entry to be read from the module name table. TABEND points to the last entry on the table.

The module name table, MODTAB, can contain 30 12 byte entries; an 8 byte filename, a 3 byte extension, and a binary drive number. Each field must be left justified and blank filled on the right. Each entry must be followed by a binary zero for Radio Shack, or a binary 4 for FLEX. The last entry must be a \$FF.

After a module is loaded, the address of its external reference list is obtained from the preface. Each entry is converted into the form described in the previous paragraph, and compared with the entries already on the table. The compare is made on all 13 bytes. You might want to change this to compare on only the 8 byte filename. If the module is already in the table, it is not added. Otherwise, it is added to the end of the table.

At the label LOAD1, the break key is checked and the program is stopped if the key is depressed in the Radio Shack version.

Before opening the file, the filename is displayed on the load map. If there is a file error, the filename tells the user which file is in error. The file is then opened. RECFLG is reset, indicating the first record of the file. RECFLG is used later, with the main program flag, to indicate that the record contains the load address of the program. All files use device number 1.

The code at the label LOAD2 starts the read file loop. The first byte of a binary record is the flag byte, or the record descriptor byte. As far as I can tell, the only record types are 0 for a data record and \$FF for an End Of File record in the Radio Shack system. The record length and the record load address are saved on the stack temporarily, and the next byte read will be the first data byte of the record.

If it is the first record of the main module, the offsets are calculated. OFFSET is used for calculating the load addresses in the buffer of the subsequent records as they are read in. OFFST1 is used for calculating the load address of each module as it will be loaded for execution. OFFST1's only purpose is for displaying the address on the load map.

The code from LOAD4 to LOAD5 calculates the beginning and ending address of the current record. The code from LOAD5 to LOADF reads the record into the buffer.

The code at LOADF is the end of file processor. Here, if it is the main module, the Loader displays a message

and pauses so the user can load a library disk if he wishes.

After loading each module, at the label LOADC the preface is checked for an external reference table. If there is one, the module names are loaded at the end of the Loader's table. The name of the next module is taken from the beginning of the table at LOADN. The name LINK.BIN is added to the end of the list so the linker can be added after the last user module. Control is passed back to LOAD1 and the next module is loaded.

After the last module is loaded, control is passed to BINOUT where the concatenated program is written to disk. Note that the program has not been linked. Linking occurs at execution time.

The offset from the Linker Module to the main module is saved in the linker's preface in the entry point field. The Linker's transfer address is used as the Program transfer address, where execution will begin. The transfer address and the end address is displayed on the load map.

Before copying the program to disk, the Loader program displays a message and pauses to allow the user to load an output disk. An EOF record, with the transfer address, is written at the end of the file.

Note that ROM Routines are called for disk and terminal I/O in the Radio Shack version. This program will work on the older Color Computers with Version 1.1/1.0/1.0 ROMs, but I don't know if it will work on the new Color Computer 2's, Dragons, or TDP's (the TDP's should be OK - Editor). All of the FLEX calls are standard, so there should be no problems with different FLEX Conversions.

### Chattanooga Choo Choo Software

Your One Stop Station  
For Computer Programs

Track 28

**Datasoft, Inc.**  
Zaxxon (32K) \$39.95 Tape or Disk  
Moon Shuttle \$29.95 Tape or Disk

**Spectral Associates**  
Ghost Gobbler \$19.95  
Planet Invasion \$19.95  
Space Race \$19.95  
Gallax Attax \$21.95 ea.

**Railroad Salvage Sale**  
Guaranteed to load  
Some Demo Software  
Save up to 45%  
3 Cave Hunter \$16.95  
1 Cave Hunter Disk \$16.95  
1 Nova Pinball \$14.95  
1 Pacroids \$14.95  
2 Caterpillar Attack \$16.95  
5 Astroblast \$16.95  
2 Astroblast Disk \$19.95  
6 RailRunner \$16.95  
1 Trilogy 3 Games \$29.95  
(Invaders, Ghost Gobbler, Space War)  
2 Intergalactic Force \$16.95

**Prickly-Pear Software 15% OFF**  
Shaft \$24.95 \$21.20  
Vikings, Flight (32K), Jungle \$18.95 \$16.95 ea.

**Anteco Software**  
Intergalactic Force \$24.95  
Pinball \$24.95  
(Available in Rom Pac) \$29.95 ea.  
(Available in Rom Pac Only) 8 Ball \$29.95  
Whirly Bird Run \$27.95 ea.  
Ghost Gobbler \$27.95 ea.

**Kraft Joystick**  
"The Best" 1 Year Warranty \$49.95 ea.

**Early Games**  
Preschool learning \$28.95 Tape or Disk

**Adventure International**  
Sea Dragon (32K) \$34.95  
NEW! Fire Copter \$24.95

**Tom Mix Software**  
Donkey King (32K) \$26.95  
Space Shuttle (32K) \$26.95  
NEW! Trap Fall, Frog \$27.95 ea.

**Computerware**  
Doodle Bug \$24.95 ea.  
Shark Treasure \$24.95 ea.  
Rail Runner \$21.95

**Mark Data Products**  
Super Pro Keyboard \$69.95  
NEW! Glaxsons, Bumpers, El Bandito & Cosmic Clones \$24.95 ea.

**Buy 1 Program Get 10% Off**  
**Buy 2 or more Programs Get 15% Off**  
Except Prickly-Pear Software

\*Also available on disk (32K) at extra charge.  
All programs 16K on cassette unless otherwise stated.  
Send for free complete catalog and descriptions!  
WE pay postage, YOU save money! (in the U.S. and Canada).  
TN residents add 6.25% sales tax, C.O.D. orders add \$2.00

(615) 875-8656 • P.O. Box 15892 • Chattanooga, TN 37415

## SUBROUTINES

**BINHX** CONVERT BINARY TO ASCII ENCODED HEX FOR DISPLAY

**BRK** BREAK PROCESSOR - RETURN TO BASIC

**COMPAR** COMPARE TWO STRINGS

**DSPADD** DISPLAY THE CONTENTS OF D IN HEX

**DSPMOD** DISPLAY 8 CHR FILENAME

**GETADD** EVALUATE ABSOLUTE ADDRESS OF DATA IN MODULE PREFACE

**INPUTP** ISSUE MESSAGE TO TERMINAL AND WAIT FOR INPUT

**INXCHR** SCAN STRING FOR SPECIFIED CHARACTER

**LENSTR** LENGTH OF STRING TERMINATED BY ZERO BYTE

**NOMEM** PRINT OUT OF MEMORY CONDITION

**NOTAB** PRINT MODULE TABLE FULL

**OUT2** OUTPUT THE 2 ASCII CHARACTERS IN D

**PARSFN** PARSE A FILE NAME FOR ITS COMPONENT PARTS. The filename is entered in RS standard format. A routine is called which parses the string and stores it in an O/S buffer. If the caller specifies an output buffer, PARSFN copies it to the buffer

**SEARCH** SEARCH A TABLE FOR A SPECIFIED STRING

**SOPEN** OPEN A DISK FILE

## VARIABLES

The comments on the variables in the Source Listing should be self explanatory. However the buffer pointers probably need more explanation.

The variables PGMADD, XADD, and

OFFST1 refer to the program as it will be loaded for execution. They are used for displaying the memory map, and for storing the load address and transfer address in the binary disk file. XADD is the entry point for the Linking Subroutine which is added to the end of the linked modules by the Loader. The Linker Subroutine gets the entry point of the User's Program from the main module's preface.

The variables LDADD, RECADD, ENDADD, PGMTOP and TABEND contain the addresses as the program is loaded into the Loader's buffer.

The Linker is appended to the end of the program as if it were a subroutine. The entry address of the Linker becomes the transfer address of the program. The Linker obtains the entry points of all the modules and stores them in the jump table, then passes control to the main program.

The address of the jump table of this Linker is at \$0E00, identified by the label BASE. The jump table can be anywhere in RAM. I chose \$0E00 because I write programs for computers with different memory sizes. I would think that a better choice for most people would be at the top of their RAM.

The code at the label START is where the Linker starts execution. This becomes the Transfer Address of the Program.

Remember that the Loader stored the value of the offset from the beginning of the Linker to the beginning of the Main Program in the entry point field of the Linker's preface. The Linker now uses that to calculate the address of the main program's preface and saves it on the stack.

The address of the end of the Linker Module is stored at location 254 of the jump table. This marks the end of the code for the program, and the beginning of free memory. You can use this for dynamic memory allocation, for scratch area, or anything you like. I haven't used it for anything yet.

The code at LINK1 is where the linking is done. The address of the next module is calculated from the next module pointer. The module number is used to calculate the address in the jump table where the entry point of the module will be stored. The formula is  $BASE + 2 \times \text{module\#}$ . The Entry Point is calculated and stored in the jump table. This code is executed for each module.

At LINK2 we start calling the initialization routines of the modules. The address of the Main Program is obtained from the stack, and control is transferred to LINK34. The offset to the initialization routine is obtained from the 'preface'. If it is not zero, the address of the initialization routine is calculated and the routine is called. Control is then passed back to LINK3, where the address of the next module is calculated. This loop is executed for all modules, until we reach module number zero in the Linker Module.

At LINK4 the address of Main is pulled from the stack, Main's Entry Point is calculated, and control is passed to it.

Roland Waggoner

Next Month we will cover the OPERATION of the Linking Loader with RS DOS and FLEX, and provide the complete Assembly Language Listing.

## Press Release

**THE MICRO WORKS**

NEW PRODUCT RELEASE

MAGIGRAPH

The Micro Works is pleased to announce the release of a graphic development utility for the Radio Shack Color Computer. MagiGraph is for experienced Basic and assembly language programmers. The program simplifies the task of drawing highly detailed graphic characters, up to and including an entire high-resolution graphic screen. MagiGraph has a full set of logical operation and pixel manipulation functions that simplify the development of a character in all its different possible color and position combinations. The program offers nine animation buffers, which allow the various positions of an animated character to be tested and revised so that animation blends together smoothly. Finally, the pixel codes of a graphic character can be listed in hexadecimal numbers to a printer, and the graphic screen can be saved on cassette tape or floppy disks to be used later by another program or revised with MagiGraph.

MagiGraph, written by Kevin Doolley, is available on cassette for \$34.95 (disk required); disk for \$39.95 (32K Extended Color BASIC required); and disk cartridge for \$44.95. Extensive documentation and plenty of sample programs are included in the package.

P.O. BOX 11110 DEL MAR, CA 92014 619-342-2400

## SPECIAL OFFERS From Star-Kits

### Christmas Sale (Until December 24, 1983)

- STAR-DOS 64** Reduced from \$74.90 to \$49.90 (\$52.90 for the AMDEK 3" disk.) Get the 64K and 16K/32K versions for the price of the 16K/32K versions alone. Here is your chance to get this extraordinary Disk Operating System for the Color Computer at a great price.
- SPELL 'N FIX** Reduced from \$69.29 to \$59.29 for the CoCo disk or cassette version, and from \$178.58 to \$125 for the Flex disk version. (Add \$3 for AMDEK 3" disks.)
- HUMBUG-64** Reduced from \$59.95 to \$49.95. This version is specially configured for 64K disk systems using either Flex or STAR-DOS. (Add \$3 for AMDEK 3" disks.)

### REBATE

Buy your Star-Kits software from a dealer, and get an extra savings by sending us your registration form and a copy of your sales slip or invoice. The rebate is \$10 on software priced over \$50, and \$5 for software under \$50. The rebate is in effect until December 24, 1983.

### ILLEGITIMACY PROGRAM

If you have an illegitimate (ahem... pirated) copy of a Star-Kits program, we offer you an amnesty as part of our Illegitimacy Program. Send us (a) a working copy of the program; (b) details on where and from whom you got it (with adequate identification of the source); and (c) 25% of the current list price, and we will send you (a) the latest up-to-date copy of the program, (b) a complete and up-to-date manual, and (c) a sales slip welcoming you to the world of happy Star-Kits customers. A small price to pay for a clear conscience?

### MC-10 SPECIAL

To celebrate Star-Kits' being first with MC-10 software, here's our MC-10 Triple-Pak: MC-10 HUMBUG (normally \$29.95), MC-10 REMOTERM (normally \$19.95), and MC-10 COMMTERM (a brand new terminal communications program which sells separately for \$19.95), a total value of \$69.85, all for a special price of just \$55.

**STAR-KITS**

P.O. BOX 209 — J  
MT. KISCO, N.Y. 10549  
(914) 241-0287

# MICROBOOKS

Continued from page 1

Actually, "very small business" is a better way of putting it. I used to call my one man repair operation a small business. But, I learned that Uncle Sam calls a business small if it is only worth a few million, so now I call the operation a micro business. Hence, the name of the bookkeeping program I wrote and use, **MICROBOOKS**.

The program is job oriented and small, just like my business. (More about this in the section on using the program.) It is well suited to someone who wants to find out if he wants to do this kind of thing on a computer without putting a lot of money into it.

## THE PROBLEM

Finding a program that I could afford, which would give me quick and current information on how I'm doing on any particular job, seemed to be impossible. Having only a 16k Extended Basic CoCo, in addition to the family TV and cassette recorder, my aim was a small program with only essential features. Really, it is little more than a means of getting the data on tape. By omitting Printer routines and Statement and Balance Sheets, **MICROBOOKS** is small enough to fit into 16K and still accept well over 200 entries of expense and/or income, provided you use **POKE25,6:NEW** before loading. In this simple form you can put on tape only what you can fit into memory; but, if you make monthly tapes, you can put a lot of data through **MICROBOOKS**. If there is enough reader interest, we can publish Printer and Balance Sheet routines for **MICROBOOKS** in the future. These routines can be plugged into places provided in the program, or loaded separately, saving memory.

My own setup will squeeze a Quarter (3 months) of business into the 16K Extended CoCo. Of course, 32k would increase that to a Quarter for a bigger business, or 6 months of Books at my current rate. To do this with the program as it is, I write down the totals from each tape, but they could be carried forward to the next tape if desired.

## THE PROGRAM

**MICROBOOKS** bears no resemblance to spreadsheet programs. I tried Radio Shack's "SPECTACULATOR", but it is really not a Ledger Program, and I found it to be rather slow to use and not especially "friendly". **MICROBOOKS** is menu driven, has fair error trapping, and takes data very quickly through screen prompts. Its main functions are to

1. Enter and store data
2. Retrieve and display data
3. Display sub-totals

While entering data, several opportunities are given to correct entries. You can scroll your files at a controlled rate for general viewing and indirect editing.

## MAKING THE PROGRAM SMALLER

Since I first talked to Bob about publishing this program, I have worked on making it smaller and smaller by various means of rewriting and

compacting, so there are two listings for comparison. The first is the earlier, more easily read, version - which uses about 4.5K of Memory. The other is a much later version with many multiple statement lines and other space saving features. It takes about 2.5K of Memory and does the same job. We'll talk about the job of making programs smaller as we go along. I'll assume that folks with a minimum memory computer are probably beginners like me, and write in considerable detail on most things.

## THE ORGANIZATION

### Listing 1

- 0001. Parameters
- 1000. Main Menu
- 2000. Expense Entries
- 3000. Income Entries
- 4000. Totals Routines
- 5000. Expansion Space
- 6000. File Scan

### Listing 2

- 0010. Parameters
- 1000. Main Menu
- 2000. Ledger Routines
- 3000. Totals Routines
- 4000. File Scan
- 5000. Expansion Space
- 6000. Subroutines

Listing 1 is included for those interested in how BASIC Programs can be made smaller. While some reference will be made to Listing 1, most of the following discussion concerns Listing 2, which actually provides more functions.

## THE DETAILS

Setting up the **CLEAR** and **DIMENSION** Statements involves a certain amount of trial and error. In my use of the program, I have decided to abbreviate Check entries as much as possible, to save space, since I would probably need to return to the originals for proof of records anyway. As long as I can recognize the information, I'll cut it as short as I can to save memory. By doing this, I have reduced the average entry size to about 20 bytes. You will probably use more at first, as I did. If you even use 25 bytes, you will get an unuseable clear size. As it stands, the **CLEAR 5000** gives about 22 bytes for each of the 230 entries dimensioned.

Dimensioning is simple enough at first glance. You just type **DIM**(one less than the number of items in array). The problem is: how many can you get in after the dimension statement gobbles up memory? According to my experiments, you will

## STAR - KIBBITS

Welcome to the tenth of my monthly chats. Many of you have commented that you enjoy reading them, and they are interesting to write too. So here goes for this month.

In addition to having a Color Computer, do you also have a 6800 or 6809 system on the SS-50 bus? I do, and I suspect some of you do too. I often get a letter from a reader who either wants to buy or sell such a system or components (hardware or software) for it. Unfortunately, some of the older items are hard to get, yet some of you may have an unused one stashed away in the cellar. So why don't we set up an

## SS-50 EXCHANGE

If you have some SS-50 item for sale, send me a self-addressed stamped envelope with a description and price written on the back. If you want to buy an SS-50 item, send me a postcard with a note on what you want. I will try to match up a buyer and seller, put the buyer's postcard in the seller's envelope and mail it back out. From that point on, it's up to the seller to contact the buyer and make the deal.

I'm proposing this simply because I really like 6800 and 6809 systems, and hate the thought of something going to waste in someone's cellar, while someone else is desperately looking for it. (as an afterthought, let's extend it to anything that is 6800 or 6809 related.) But since this may potentially involve a lot of work for me, I insist that you follow the rules: postcards for buyers, stamped envelopes for sellers, only one item per card or envelope, clearly stated on postcard or back of envelope.

Now let's see whether we can rescue some of those gems in the cellar or attic!

## AMDEK TOO

Yes, we've gotten a pair of Amdek 3" drives, and now supply our software on Amdek disks too. Just specify on your order. There's a \$3 extra charge due to extra handling and higher media costs. By the way, those little 3" disks are neat.

## SPEAKING OF NEAT THINGS

The little MC-10 computer is also quite neat. It uses a 6803 microprocessor, which is more like a 6800 than a 6809. I'm sure that it's used because it contains two input/output ports which save the expense of an external I/O chip. Interestingly enough, the 6803 has a built-in port for serial input and output, but the MC-10 doesn't use it because it doesn't support 600-baud operation, needed for compatibility with the larger Color Computer. Instead, serial output is handled the same way as on the Color Computer, with a software routine. Though the manual doesn't say so, you can change the output baud rate by an appropriate poke. For example **POKE 16932,245** switches the output to 300 baud. You can try other values for other baud rates too.

By the way, the MC-10 also has the **CLOADM** and **EXEC** commands, though the book doesn't mention them. We use those in our MC-10 software. Available so far are the **HUMBUG** monitor, **REMOTERM** remote terminal package, and **COMMTERM** communications program. A disassembler is coming too.

## SPELL 'N FIX

Regardless of whose text processor you use, let **SPELL 'N FIX** find and fix your spelling and typing mistakes. It reads text faster than you can, and spots and corrects errors even experienced proofreaders miss. It is compatible with all Color Computer text processors. \$69.29 in the Radio Shack disk or cassette versions; \$178.58 in the Flex version. (20,000 word dictionary is standard; optional 75,000 word Super Dictionary costs \$50 additional.)

## HUMBUG - THE SUPER MONITOR

A complete monitor and debugging system which lets you input programs and data into memory, list memory contents, insert multiple breakpoints, single-step, test, checksum, and compare memory contents, find data in memory, start and stop programs, upload and download, save to tape, connect the Color Computer to a terminal, printer, or remote computer, and more. **HUMBUG** on disk or cassette costs just \$39.95, special 64K version for **FLEX** or **STAR-DOS 64** costs \$59.95, MC-10 version \$29.95.

## STAR-DOS

A Disk Operating System specially designed for the Color Computer, **STAR-DOS** is fully compatible with your present Color Computer disk format - it reads disks written by Extended Disk Basic and vice versa. **STAR-DOS** for 16K or 32K systems costs \$49.90; **STAR-DOS 64** for 64K systems costs \$74.90.

## STAR FLEX

The best implementation of **FLEX** for the Color Computer. Complete with all utilities, text editor, macro assembler, and **HUMBUG** debug monitor, \$225.00.

## ALL IN ONE - Editor Etc.

Three programs in one - a full function Editor, a Text Processor and a Mailing List/Label program. All this for just \$50. Requires **STAR-DOS** and 32K, or **STAR-DOS 64**, or **FLEX**, specify which.

## DBLS for Data Bases

**DBLS** stands for Data Base Lookup System. A super-fast system for searching for a selected record in a sequential disk file. Supplied with **SPELL 'N FIX**'s 20,000 word dictionary as a sample data file - lets you look up the spelling of any word in under FOUR seconds. Priced at \$29.95. Requires **STAR-DOS**.

## CHECK 'N TAX

Home accounting package combines checkbook maintenance and income tax data collection. Written in Basic for either RS Disk or Flex, \$50.

## REMOTERM

**REMOTERM** - makes your CoCo or MC-10 into a host computer, operated from a remote terminal. \$19.95, disk or cassette.

## NEWTALK

**NEWTALK** - a memory examine utility for machine language programmers which reads out memory contents through the TV set speaker. \$20, disk or cassette.

## SHRINK

**SHRINK** - our version of Eliza, in machine language and extremely fast. \$15, disk or cassette.

## EDUCATIONAL SOFTWARE

Introduction to Numerical Methods - college level course on computer math, \$75.00, disk or cassette.

We accept cash, check, COD, Visa, or Master Card. NY State residents please add appropriate sales tax. Add \$3 to above price for **AMDEK 3"** disk versions.

(**FLEX** is a trademark of Technical Systems Consultants, Inc. Everything else in this ad is a trademark of Star-Kits.)

# STAR-KITS

P.O. BOX 209 - J  
MT. KISCO, N.Y. 10549  
(914) 241-0287



# THE BEST OF DSL



Now you can get DSL'S best selling programs for less than \$2.00 each. 20 titles, such as Word CC7, Geo-Studies, Packmaze, as well as some completely new additions like Autoline, Hard Copy, and many more. Still the best just price makes them better.

**\$39.95 TAPE      \$49.95 DISK**

As a special offer, receive a program package which includes 58 public domain (on tape) programs at no extra charge when ordered with THE BEST OF DSL. Offer expires 12/31/83.

## JDBDOS Unleash the power of the CoCo

An enhancement of R/S disk basic. Some of the exclusive features include quick entry of commonly used commands. M/L monitor plus much more. 64K 1.0 Disk basic required.

**\$49.95 DISK**

**SUPER CONTESTER I - 16K - \$14.95**

**SUPER CONTESTER II - 32K - \$24.95**

Keep track of 1400 entries in 16K or 2700 in 32K.  
Sort, Print, Much More.

Country Locator - \$14.95

Enter Call Letters, Returns Beam Headings from  
any where in the USA. **FAST**

**Electronic Calligrapher** - The Hit of Rainbowfest.

Old English or Chancery Cursive  
type font. Works with LP VIII or EQUIV.

Version for Gemini 10 or 15

Version for Epson w/Graftrax

**BOTH TYPE FONTS \$18.95 DISK ONLY!**

Please specify printer version when ordering.

## THE GENERAL

The "GENERAL" on disk. Over  
400 accounts nearly 5,000 transactions  
per disc. Improved screen display.

**TAPE \$39.95**

**DISK \$49.95**

## HARDWARE FAVORITES

**32/64K GRAND SLAM \$75.00**

For E or F Board w/1.1 ROM (EXEC 41175)

Add \$15.00 tool deposit (refundable)

**16-32K RAM SLAM (Piggy Back) \$49.95**

Both slam kits solderless.

**ONE YEAR WARRANTY**

## RS-232 SWITCHER

Stop Straining Those Connectors.

Stop Listing the Modem.

Stop Trying to Log on the Printer

Fast. Fast. Relief

The RS-232 Switcher.

**2 WAY \$29.95**

**3 WAY \$39.95**

## ATARI JOYSTICKS

No adapter required.

**GET THE REAL ARCADE FEEL**

**90 DAY WARRANTY**

**\$14.95 EACH**

**2 for \$28.00**

# DSL COMPUTER PRODUCTS INC.

**P.O. BOX 1113 • DEARBORN, MI 48121**

**313-582-8930 • 313-582-3406 (Data)**



Michigan Residents Add 4% Sales Tax To Order

Please include \$3.00 for S & H



# Color Micro Journal™

5900 Cassandra Smith Rd. ★

Hixson, TN. 37343

**COLOR MICRO JOURNAL™** Is A Monthly  
Tabloid Publication for Color Computer USERS!

★★

**COLOR MICRO JOURNAL™** is a Magazine FOR  
Color Computer Users BY Color Computer Users. Col-  
umns on various compatible Operating Systems, Lan-  
guages, Uses (Bulletin Boards, Clubs, using the RS  
BASIC, and so on), etc.

★★★

Programs - Games - Reviews - Education - Hardware -  
Software - New Product Announcements - Books

★★★★

Get the MOST from your COLOR COMPUTER  
without being an Engineer.

**DON'T MISS A SINGLE ISSUE**

Subscription Rate of only \$16.50 a Year!!!

★★★★★

**COLOR MICRO JOURNAL™** published by the  
ONLY pure 68xx, INTERNATIONAL Computer Maga-  
zine. '68 Micro Journal has provided coverage for over  
FIVE Years. We KNOW the Color Computer, the Soft-  
ware (both FUN and WORK) that IS and CAN BE run on  
it. We KNOW the products that ARE, CAN BE, or  
WILL BE used on the Color Computer.

For Ordering Subscriptions By Phone  
Call 1-800-338-6800



**Color Micro Journal**

Limited Time Charter Rates

USA - \$16.50 per year. Canada & Mexico - \$23.00 per year

Surface Foreign - \$28.00 per year. Airmail Foreign - \$52.00 per year

\*Color Micro Journal is a trademark of Computer Publishing Inc.

.....  
• Yes! Start my copy of Color Micro Journal coming as soon as possible!  
•  
• Name \_\_\_\_\_  
• Address \_\_\_\_\_  
• City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
• ☐ Visa ☐ Master Card ☐ Check or Money Order Enclosed  
• Card # \_\_\_\_\_  
• Exp/Date \_\_\_\_\_

lose about 7 bytes for each element in the dimension statement. If you have one DIM(230), you will lose about 1600 bytes of memory. If you have two DIM(230)'s, it will be about 3200. MICROBOOKS has six, which uses roughly 9.5K. Perhaps someone can give us an accurate way to calculate it. I have had different programs show a byte loss of from 5 to 7.

To experiment with these parameters, use the BASIC EDIT Command to put in different CLEAR and DIM sizes, then RUN again. If you have reserved too much space, you will get an OM ERROR, which breaks you out of the program. This means you ran out of memory before the CLEARing and DIMensioning were complete. If you do not get an OM ERROR, you know it goes into the memory you have available, but then you will want to know if you have enough room left to use the Program. Type PRINT MEM or the shorter ? MEM (? is short for PRINT) and <ENTER> to see how much room you have left.

It would be a good idea to leave two or three hundred bytes in memory. The computer will use a certain amount as it functions, and will break out with an OM ERROR if enough room is not available. MICROBOOKS seems to need about 175 bytes above the program memory, but I leave more just to be sure it doesn't bomb.

Since GOSUB's make it hard to follow a program, here's a rundown of the Subroutines in MICROBOOKS.

```
6000. SELECT ONE
6100. YOUR SELECTION
6200. Tape loading
6300. NOT PROGRAMMED
6500. Scan screen print
6600. ANOTHER SCAN?
6800. IS TAPE LOADED?
```

#### PROGRAM DESCRIPTION

One of the fun things about programming is that you can do ANY job in more than one way, and many jobs in many ways. Sometimes you will need to change something a little in order to use it for more than one function. For instance, do a little comparing of IF-THEN and INSTR.

The menu section in Line 1000 begins with a GOSUB to print a prompt above the menu. If you don't make use of Subroutines in your Programs, you are probably using too much memory. Just about anything that must be done more than once will use less memory if it is put into a Subroutine. This is one of the ways I cut down the size of the original program. Also in Line 1000 is the setup of the Main Menu, with numbers leading to the ON GOSUB in Line 1010. The last statement forms an "Error Trap" to prevent numbers other than the Menu selections from sending you on a wild goose chase, or bombing the program. If you enter the wrong number, the program simply prints the menu again. Of course, this happens so fast you hardly notice it. A proper choice sends you through Line 1010 to the Line Number for the selected routines.

Starting at Line 2000 is, first, a Sub-Menu for either Old or New Tapes, and then another kind of Error Trap. IF you give a valid number THEN you go to a line number, or ELSE back to the Menu again. Line 2020 asks if you have already loaded the tape and sends you through Lines 2400 to 6200 to load it if you haven't. If you have loaded a

Tape, you go to Line 2100 to begin the actual entry of data.

Line 2100 represents a lot of head scratching. It was easy enough to put in the instructions on how to exit the Entry Mode, but I wanted to have numbers from the last two entries to keep myself oriented as to where I was. The problem appeared when I tried to go to the Entry Mode without having previous entry numbers already in, as is the case when starting a new tape for a new period. If I called for only one back number, it would just leave that place blank; but if I called for TWO back numbers when there were none, I would get an FC ERROR. So, by checking whether "1" had been chosen from the menu (NEW FILE), I would know whether a file had been loaded or I was starting a new one, and therefore, whether back entry numbers were available. If not, the back number call is bypassed until after the first entry by IF-THEN'ing to Line 2105. Because Line 2100 is used over and over, it would not do to have the back numbers skipped every time, so Line 2105 nulls "S" to allow the program to get past the IF-THEN the next time around and all times thereafter. It also spaces down one line on the screen for display clarity. The GOTO in Line 2100 skips the space in 2105 after the first entry. Actual input of data begins at 2110.

Since this is also your location when you are finished Entering Data, an IF-THEN tests for "XX" (which is the signal to the Program that you are finished entering data), and if XX is input, you are sent to Line 2180 to Save your Data to Tape. Similarly, the next two lines test for CC, which is the sign for "correction needed", and sends you back to start that input over again.

The next point of interest is in Line 2140, where you have one more chance to correct your current entry. INPUT and <ENTER> are used here instead of INKEY\$ to provide some error trapping. The truth is that the trap only half works, because I felt that it would be a lot faster if you didn't actually have to hit Y each time you had finished an entry. While "N" will return you to the start of the same entry again, you will go to the next entry if you hit the <ENTER> key.

Line 2170 sends you back to 2100 after incrementing N by 1. In your first entry, input N will be input number 1. The next one will be input (N+1) or 2, since N is now equal to N+1, and so on until you finish.

After you have ended your Input (entries), Line 2180 will ask how many times you want the data saved. I put this in because I had had so many tape glitches that one save was useless. By having several saves in the tape (I usually have 3 or 4), you can always find a good one. I have greatly reduced the problems, but that is another subject. At any rate, you may save as many times as you wish. The variable SA carries the number of saves desired into the FOR-NEXT loop in Line 2300. A FOR-NEXT loop is nothing more than a counter which counts from the number before the TO to the number after the TO. If you press <ENTER> without a number, the 1 in FOR=N TO SA (Line 2300) becomes the only number to be counted, therefore only 1 save is made.

Line 2300: By putting the prompt "STORING DATA" in the middle of the

screen, you can help eliminate that nagging feeling that maybe the computer is hung up while it is sitting there saving large amounts of data. Of course, you could turn up the sound and listen to the 1's and 0's fly, but that gets old fast. You may want to try changing the CLS (which clears old information off the screen) to CLS0. By doing this you will have a black screen while saving the data. When it goes green again, the save is done. If you try this, you'll also want to put a semicolon (;) between the quote (") and the colon (:); this will prevent the green from running out to the edge of the screen after the prompt. Also, if you put an extra space before and after the prompt (inside the quotes), it will look a little better.

You will also find an example of a "Nested Loop" in Line 2300. The innermost loop prints the array to the Tape starting at the first X, in this case 1, and looping (counting) until the N'th X. N is equal to the number of entries you made, and determines how many loops are required to complete the array. Each loop (the term loop applies both to the FOR-NEXT loop itself, and to each cycle through the loop) prints one entry, and when all strings in that entry are printed, the NEXT tells FOR to loop again for the next higher number. Thus each entry is printed in turn until the entire array is printed.

Note that since N has become a total, the "print to tape" part uses X to count its way up to N. Note also that after the cassette File was opened for output (OPEN "O", #1), and the Save given a name ("LEDGER"), the value of N was printed to tape for later reference (PRINT #1, N). When N number of loops has been made, the cassette File is closed, and control moves on to the next thing, which is actually another loop inside the X loop in the nest. This T loop is only a timer to allow space on the tape between saves. Again, control moves on. This time, a comma is substituted for a NEXT, but the effect is the same and a few bytes are saved. The program moves to the next loop back that has not been done, namely the V loop. It loops SA number of times, the number of saves you called for, and goes on. After the prompt there is another timer, to give you time to read the prompt, and then you go back to 1000, the menu.

#### NOTES for the beginners:

Each entry you made had six parts, called strings. The number, for instance, became NU\$(N), the date became DA\$(N), the amount became AM(N) etc. As each entry was made, it was given a number to replace the N in each string in that entry. Since each entry is numbered in order, each is printed to tape in the same order by the PRINT #1, NU\$ etc. #1 is the basic word for the tape recorder.

When you want to add data to what you already have, first choose Number 1 from the Main Menu for LEDGER and then Number 2 from the Sub-Menu for EXTEND FILES. You are then sent to Line 2400, which handles the loading of the most recent tape data into memory. A GOSUB sends you to Line 6200, which loads the data by reversing what was done in Line 2300. The value of N is

# TEN MOST-ASKED QUESTIONS about **DYNACALC**<sup>TM</sup>

## THE ELECTRONIC SPREAD-SHEET FOR 6809 COMPUTERS

---

**1. What is an electronic spread-sheet, anyway?**

Business people use spread-sheets to organize columns and rows of figures. DYNACALC simulates the operation of a spread-sheet without the mess of paper and pencil. Of course, corrections and changes are a snap. Changing any entered value causes the whole spread-sheet to be re-calculated based on the new constants. This means that you can play, 'what if?' to your heart's content.

**2. Is DYNACALC just for accountants, then?**

Not at all. DYNACALC can be used for just about any type of job. Not only numbers, but alphanumeric messages can be handled. Engineers and other technical users will love DYNACALC's sixteen-digit math and built-in scientific functions. You can build worksheets as large as 256 columns or 256 rows. There's even a built-in sort command, so you can use DYNACALC to manage small data bases — up to 256 records.

**3. What will DYNACALC do for ME?**

That's a good question. Basically the answer is that DYNACALC will let your computer do just about anything you can imagine. Ask your friends who have VisiCalc<sup>TM</sup>, or a similar program, just how useful an electronic spread-sheet program can be for all types of household, business, engineering, and scientific applications. Typical uses include financial planning and budgeting, sales records, bills of material, depreciation schedules, student grade records, job costing, income tax preparation, checkbook balancing, parts inventories, and payroll. But there is no limit to what YOU can do with DYNACALC.

**4. Do I have to learn computer programming?**

NO! DYNACALC is designed to be used by non-programmers, but even a Ph.D. in Computer Science can understand it. Even experienced programmers can get jobs done many times faster with DYNACALC, compared to conventional programming. Built-in HELP messages are provided for quick reference to operating instructions.

**5. Do I have to modify my system to use DYNACALC?**

Nope. DYNACALC uses any standard 6809 configuration, so you don't have to spend money on another CPU board or waste time learning another operating system.

**6. Will DYNACALC read my existing data files?**

You bet! DYNACALC has a beautifully simple method of reading and writing data files, so you can communicate both ways with other programs on your system, such as the Text Editor, Text Processor, Sort/Merge, STYLOGRAPH<sup>TM</sup> word processor, RMS<sup>TM</sup> data base system, or other programs written in BASIC, C, PASCAL, FORTRAN, and so on.

**7. How fast is DYNACALC?**

Very. Except for a few seldom-used commands, DYNACALC is memory-resident, so there is little disk I/O to slow things down. The whole data array (worksheet) is in memory, so access to any point is instantaneous. DYNACALC is 100% 6809 machine code for blistering speed.

**8. Is there a version of DYNACALC for MY system?**

Probably. You need a 6809 computer (32k minimum) with FLEX<sup>TM</sup>, UniFLEX<sup>TM</sup>, or OS-9<sup>TM</sup> operating system. You also need a decent crt terminal, one with at least 80 characters per line, and direct cursor addressing. If your terminal isn't smart enough for DYNACALC, you probably need a new one anyway. The UniFLEX and OS-9 versions of DYNACALC allow you to mix different brands of terminal on the same system. There's also a special version of DYNACALC for Color Computers equipped with FLEX (Frank Hogg or Data-Comp versions).

**9. How much does DYNACALC cost?**

The FLEX versions are just \$200 per copy; UniFLEX version \$395; OS-9 version (works with LEVEL ONE or LEVEL TWO) \$250. Orders outside North America add \$7 per copy for postage. We encourage dealers to handle DYNACALC, since it's a product that sells instantly upon demonstration. Call or write on your company letterhead for more information.

**10. Where do I order DYNACALC?**

See your local DYNACALC dealer, or order directly from CSC at the address below. We accept telephone orders from 10 am to 6 pm, Monday through Friday. Call us at 314-576-5020. Your VISA or MasterCard is welcome. Please specify diskette size for FLEX or OS-9 versions. Software serial number is required for the UniFLEX version.

---

**Order your DYNACALC today!**

---

**Foreign Dealers:**

Australia & Southeast Asia: order from Paris Radio Electronics, 161 Bunnerong Road (PO Box 380) Kingsford, 2032 NSW Australia. Telephone: 02-344-9111.

United Kingdom: order from Compusense, Ltd., PO Box 169, London N13 4HT. Telephone: 01-882-0681.

Scandinavia: order from Swedish Electronics hk AB, Murargatan 23-25, Uppsala S-754 37 Sweden. Telephone: 18-25-30-00.

---

**Computer Systems Center**  
13461 Olive Blvd.  
Chesterfield, MO 63017  
(314) 576-5020



---

**UniFLEX software prices include maintenance for the first year.**

**DYNACALC is a trademark of  
Computer Systems Center**

VisiCalc is a trademark of VisiCorp.  
STYLOGRAPH is a trademark of Great Plains Computer Co.  
RMS is a trademark of Washington Computer Services.  
FLEX and UniFLEX are trademarks of TSC.  
OS-9 is a trademark of Microware and Motorola.

loaded first (remember the PRINT#-1,N) so the computer will know how many entries there are. Then the loops go to work as before.

After the data is loaded from Tape, you go back to Line 2100 to enter data the same way as before. But, there is a difference. Rather than starting with 1, the computer starts with the current value of N which was just loaded. After each entry, the value of N is increased by one (remember the  $N=N+1$ ), and when the entries are completed, you will have a new N total. Starting out with the same number you ended up with on the last tape might look like it would replace the last entry you made and, in fact, it does. But, remember that your last entry was XX to signal the end. Starting out with the same number causes the first new entry to go where the XX was, so there will be no lost space. When the save is made, the old array and the new array are saved together as one new array, so you will not have to keep the old tape unless you want it for a partial backup.

The next section of the program starts with Choice Number 2 on the Main Menu - "TOTALS". You are branched to Line 3000 for a Sub-Menu. After a quick GOSUB for a prompt, there are three choices. You will soon find that **only the first one works** as of now. As mentioned, a Balance Sheet has yet to be added, but it could be included in the space provided by choice #2. Choice #3 is similar. GOSUB6100 is another screen prompt, and the branching and loading which follow should be familiar now.

The TOTALing Routine is similar to the one on page 229 of the Radio Shack "GETTING STARTED ..." Manual that

comes with your CoCo. It would have been nice if they had bothered to tell you that that little program only works for ten checks. I learned that this is because the computer will automatically dimension an array for 10 elements if you have not specified any other number. For some reason, I had a real hard time getting this information; maybe I missed something in the book, but I sure didn't know it. Finally, I got the information I needed concerning arrays, not from a Computer Center, but from Roger Bryson, who worked in a local Radio Shack Store at the time. I certainly got a lot of help from Roger, and I wish him luck in his new business.

When the input is made answering "JOB OR ACCOUNT?", the B\$ labels it as just that - B\$. A loop is set up based on N again, but this time a different routine is placed between the FOR and NEXT which searches for a string that is the same as B\$. Once again, the array is gone through from 1 to N. If a string match is found under ACCOUNT or (ELSE) JOB, the amount listed under the same entry number is added to T, which was set to 0 at the beginning. More loops are completed, and each time a match is found, the corresponding amount is added to T until all matches are found; the TOTAL is then printed for that string.

When I think I have an understanding of PRINTUSING that is adequate, I may write some about it. In the meantime, I'll just say that it keeps your figures in the right place, and let you look in the manual for information.

At the end of Line 3140, GOTO3130 sends you back for another search based on another JOB Number or ACCOUNT. T is reset to 0 to clear the way for another totals routine.

A lot of lines in this program open with a CLS in order to keep the screen neat. While I wanted to Clear the Screen before this part, I couldn't put a CLS at the beginning of the line because I wanted to have several totals on the screen at once. If it was there, it would clear each total before another was printed. That is why you see the CLS at the end of the previous line. This is one of several improvements over the larger program in listing 1. The CLS could have gone on a line of its' own, at the expense of several bytes of memory.

Lines 3200 and 3300 are spaces for future routines, as mentioned earlier. The subroutine displays a message and times it for several seconds, then returns to the main menu.

The SCAN Routine starting at Line 4000 is for the purpose of looking at your files after they have been put into Memory and/or on Tape. First you are asked whether you have loaded the Data Tape, which is really asking if the current data is in memory, not whether you have put a tape in the recorder, etc. If the data is already in memory, you go directly to the SCAN Sub-Menu. If not, then you get a subroutine which loads the Tape. This is the same subroutine that is used to load for the LEDGER extension and for the TOTALS retrieval. The Tape Load prompt could have been put in a common sub-routine, but, as it now stands, it identifies where you are in the program in case that information is needed.

Lines 4070 and 4080 both have nested loops as well as sub-routines which do work during the main loop. The sub-routines print your files to the screen, but, since the printing is done so fast, it must be slowed down by the nested timing loop. Each time an entry is printed, time is counted off before the next one is printed. If you see something you want to copy you can press SHIFT @ to stop the scrolling.

#### NOTE for beginning beginners

Your manual tells you that SHIFT @ will pause program execution. You do not need to hit them at exactly the same time. I like to press first <SHIFT> then @ in a sort of rocking motion. Your manual also says to press any key to continue. Since P is right next to @ I always use it when pausing and continuing.

Instead of the nested timing loop, you could experiment with straight printing statements putting POKE359,60 before the print and POKE359,126 afterwards. This will print one character at a time to screen, which is much slower. The strings have been placed onto the screen in a way that fits them all onto two lines. This allows several entries to be on the screen at the same time, which is more than some commercial programs allow.

Line 6500 begins with a PRINT Statement which spaces entries apart for better readability. For some reason, the first ten or so lines do not space??? The TAB Statements are similar to typewriter tabs. The item is printed at that number of spaces across the screen. The PRINTUSING statements keep the numbers right justified, as well as covering a rounding glitch in which the computer sometimes prints an unwanted number of digits to the right of the decimal.

Color Micro Journal

# Miss Byte

## STRIP TEASE

A MATHEMATICAL DIVERSION  
FOR  
MATURE GENTLEMEN!

by BRITT MONK, CDP  
GALAK SOFTWARE      RATED "R"



\$14.00    16K    CASSETTE

### Featuring :

HIGH RES GRAPHICS    DANCING    FAST ACTION

RYTHM & BLUES MUSIC    MACHINE LANGUAGE

by BRITT MONK, CDP  
GALAK SOFTWARE  
925 Dalton Circle  
Morristown, TN 37814

Check or Money Order Only  
SOLD IN PLAIN BROWN WRAPPER

14

# Sugar Software



**\$24.95**

Tape Information Management System

A user-oriented, easy to use personal database management system for the TRS-80\* Color Computer with these outstanding features:

- keeps files of programs, names, addresses, birthdays, recipes, class or club rosters, etc.
- variable record and field lengths
- phrase substitution editor
- up to 8 user-definable fields
- ML sort (up to 3 fields), search and delete functions
- user-definable printer format, for any printer
- up to 230 characters per record

Price includes the database management system, full documentation including a reference guide and 1981 Bibliography of Color Computer articles.

Requires 16K Extended Basic. 32K recommended.

## 1982 TIMS Bibliography - \$9.95.



**\$19.95**

The TIMSMAIL mailing list manager has most of the fine features of TIMS as well as these special mailing label features:

- user selected label formats
- continuous or single sheet
- designed for 80 column printer
- 1, 2 or 3 labels wide
- 2.5, 2.75, 3, 3.5 and 4 inch labels
- select fields to print
- select records to print
- fast ML search, sort (up to 3 fields) and delete routines

Requires 32K Extended Basic



**\$19.95**

Auto Run is a utility program for the TRS-80\* Extended Basic Color Computer. It is used to add convenience and professionalism to your software.

Auto Run will help you create your title screen with the graphics editor. The graphics editor allows you to choose a background color and border style. Using the arrow keys and several other commands you can draw pictures, block letters and also include text.

Auto Run will generate a machine language loader program to precede your program on the tape. Then, to start up your program, simply type CLOADM to load in the Auto Run loader program, which will then automatically start itself up, display your title screen, load your program and then RUN or EXEC it.

Also you may record a vocal or musical introduction preceding your program. The Auto Run loader will control the audio on/off.

Basic programs can be set to load anywhere in memory above the PCLEAR 0 page.

Software authors: The Auto Run prefix may be appended to your software products. Price includes complete documentation and assembly source listing. Requires 16K Extended Basic.

## Galactic Hangman \$17.95

A great new twist to the popular educational word guessing game for the Color Computer. Large (700 words) and sophisticated vocabulary. Or enter your own words, your child's spelling list, foreign language vocabulary, etc.



Outstanding high resolution graphics, animation and sound effects.

Price includes both 16K and 32K versions.



\*TRS-80 is a trademark of Tandy Corp.

**SUGAR SOFTWARE**  
2153 Leah Lane  
Reynoldsburg, Ohio 43068  
(614) 861-0565

CIS orders EMAIL to 70405, 1374



## PIRATECTOR!

**\$99.95**

Our disk-based anti-piracy applications development system has these features:

- Protect your disk software from piracy
- Users can create (non-executable) backups
- Protects ML or Basic programs
- Your program is encrypted, which prevents listing or disassembly
- Loader displays graphic title screen, then loads and starts your program
- Incrementing serial numbers and other user data supported
- Automatic generation of copies from your master for 2 (or more) disk drives.
  - Disk initialization
  - Copy all files from master to target
  - Piratefect up to 5 programs on target disk
- 100% Machine Language
- Easy to use full-screen menu oriented
- User subroutines
  - User subroutines may be LOADMed
  - Usable by ML or Basic
  - Border drawing routine
  - Keyboard input routine ideal for your programs
  - Position independent
- Break key disable for Basic programs
- Title screen graphics editor to create your own title screen
  - High resolution
  - Semigraphic modes 8, 12 and 24 (64x64, 64x96 and 64x128)
  - 8 colors
  - Combine text with graphics
  - Load, display, save graphic title screens made with other graphics editors
- Protect demo disks you send out



**\$19.95**

## Disk Version - \$24.95

## Disk version with all 62 stories - \$49.95

A sensational and educational version of a popular party game for the TRS-80\* Color Computer... For 1 to 10 players. Load a story into the computer. The players are asked to supply a noun, verb, part of body, celebrity, etc. which the program uses to complete the story. The story, which is displayed when all words are entered, will be hilarious.

Price includes Silly Syntax game, user guide and 2 stories.

Requires 16K Extended Basic (32K for disk).

You can create your own stories or order story tapes from the selection below.

Each story tape is \$9.95.

Silly Syntax stories - Ten stories per tape.

SS-001 - Fairy Tales	SS-004 - Current Events
SS-002 - Sing Along	SS-006 - Adventure Sci-Fi
SS-003 - X-Rated	SS-007 - Potpourri

**NEW**

## PREREADER \$19.95 Disk - \$24.95


Help your preschool age (3-5) child learn to read with this easy to use menu-driven program. Great high resolution graphics, colors and sound effects. Includes capital and small-letters, numbers, shapes and colors, much more! Requires 32K Extended Basic and joysticks.

**NEW**

## STATGRAF \$24.95 Disk - \$29.95

STATGRAF is a linear regression analysis package combined with sophisticated high resolution plotting/line graphing. Features include: allows entry of up to 250 pairs of (x,y) data, transforms observations using logarithmic, square root, inverse exponential or additive codes, plots any number of data sets on a single graph, type information directly onto the graph in 3 orientations.

Requires 32K Extended Basic.



Add \$1.00 per tape or disk for postage and handling. Ohioans add 5.5% sales tax. COD orders are welcome. Dealer inquiries invited.

# The Original FLEX™ for Color Computers

- Upgrade to 64K
- RS to FLEX, FLEX to RS file transfer ability
- Create your own character set
- Automatic recognition of single or double density and single or doubled sided
- All features available for either single or multiple drive systems
- Settable Disk Drive Seek Rates
- Faster High Resolution Video Display with 5 different formats
- Save RS Basic from RAM to Disk
- Move RS Basic to RAM
- Load and save function on FLEX disk
- 24 Support Commands 12 with Source Text
- External Terminal Program

DATA-COMP has everything you need to make your TRS-80C Color Computer WORK for YOU; from Parts and Pieces to Full Ready To Use Systems. DATA-COMP designs, sells, services, and SUPPORTS Computer SYSTEMS, not just Software. CALL DATA-COMP TODAY to make your Computer WORK FOR YOU!

### System Requirements

FLEX9 Special General Version + Editor & Assembler (which normally sell for \$58.00 ea.)	\$158.00
F-MATE(RS) FLEX9 Conversion Rout. for the RS Disk Controller when purchased with Special General FLEX9 Sys.	\$ 49.95
when purchased without the General FLEX9 Sys.	\$ 59.95
Color Computer with 64K RAM and EXT.BASIC	\$399.95

### SPECIAL SYSTEM PACKAGES

64K Radio Shack COLOR COMPUTER, Radio Shack COLOR DISK CONTROLLER, a Disk Drive System, Special General Version of FLEX9, F-MATE(RS), and a Box of 10 Double Density Diskettes, a COMPLETE ready to run SYSTEM on your Color TV Set.

\$999.95

64K Radio Shack COLOR COMPUTER, Radio Shack COLOR DISK CONTROLLER, a Disk Drive System, and a Box of 10 Double Density Diskettes, a COMPLETE ready to run SYSTEM on your Color TV Set.

\$799.95

Radio Shack Disk Controller	\$169.95
1 Single Sided, Double Density Disk Drive Tandon	\$229.95
1 Double Sided, Double Density Disk Drive Qume	\$319.95
1 Qume Thinline Double Sided, Double Density	\$249.95
1 Tandon 40 Track SSD0 with Cabinet and Power Supply	\$259.95
Single Drive Cabinet with Power Supply	\$ 79.95
Double Drive Cabinet with Power Supply	\$109.95

### DISK DRIVE PACKAGES, etc.

These Package include the Radio Shack Disk Controller, Disk Drives with Power Supply and Cabinet, and Disk Drive Cable:

PAK #1 - 1 Single Sided, Double Density Sys.	\$389.95
PAK #2 - 2 Single Sided, Double Density Sys.	\$675.95
PAK #3 - 1 Double Sided, Double Density Sys.	\$569.95
PAK #4 - 2 Double Sided, Double Density Sys.	\$919.95
PAK #5 - 2 Qume Thinline Double Sided, Double Density Sys.	\$699.95
PAK #6 - 2 Tandon Thinline Single Sided, Double Density Sys.	\$599.95

### PRINTERS

EPSON RX-80	\$375.00
EPSON MX-100	\$725.00
EPSON MX-80	\$395.00
EPSON PX-80	\$599.00

### SERIAL BOARDS

MX-Series	\$119.95
RX-FX-Series	\$ 99.95
Spectrum MX-Series	\$ 54.95

Mark Data Keyboards \$ 67.95

### FLOPPY DISKETTES

#### MEMOREX VERBATIM

5" Soft Sector Disks		
Single Sided Single Density	\$2.40ea.	\$2.75ea
Single Sided Double Density	\$2.40ea	\$2.75ea
Double Sided Double Density		\$4.92ea
Plastic Storage Box		\$2.00ea

8" Soft Sector Disks		
Single Sided Single Density		\$3.75ea
Single Sided Double Density		\$4.10ea
Double Sided Double Density		\$4.75ea
Plastic Library Box		\$5.00ea

### PARTS AND PIECES

Single Drive Disk Cable for RS Controller	\$ 19.95
Double Drive Disk Cable for RS Controller	\$ 24.95
Micro Tech. Prods. Inc. LOWER CASE ROM Adapter	\$ 74.95
Radio Shack BASIC Version 1.1 ROM or 1.2 ROM	\$ 34.95
Radio Shack Extended Basic ROM	\$ 74.95
Radio Shack Disk Basic ROM 1.1	\$ 29.95
Screen Clean - Clears Up Video Distortion On Your Color Computer	\$ 39.95
Set of Eight 64K RAM Chips w Mod Instructions	\$ 49.95

For Ordering Call TOLL FREE 1-800-338-6800

**LAST OF PRODUCTION!!!**

**!! LIMITED QUANTITY !!**

**SWTPC 8212**

**Intelligent Terminals**

**New & Demo Models**

**At Discount Prices**

**Remaining Supply of  
SWTPC 8212 CRT Terminals**

## EM-82 Video Terminal

Emulates the 8200 Series from SWTPC



\*FLEX is a trademark of Technical Systems Consultants  
\*OS9 is a trademark of Microware



Data-Comp—South East Media & 68 Micro Journal Are Divisions of CPI

# Software

For Ordering Call TOLL FREE 1-800-338-6800  
**FLEX™ OS-9™ Color Computer**



**AT LAST! A FULL-BLOWN DISASSEMBLER FOR THE COLOR COMPUTER**  
Computer Systems Consultants **OS9 SLUTS** is a "True Test", reliable, **POWERFUL** Disassembler that has gained acceptance through out the FLEX Community as an extremely **POWERFUL**, **DISASSEMBLING** Software Tool. Now, this powerful Disassembler has been converted to run on a **Standard 32K Color Computer** or **T2-128 System** with a **Disk System**. The **OS9 SLUTS** Software Package consists of 3 Programs: **SLUTS** (the Disassembler), **OS9ASM** (used to globally Change Labels to a meaningful Name), and **OS9F** (a Cross Reference Generator for Source Code Files). **OS9 SLUTS** will Disassemble Disk Files of **OS9**, **OS8**, **OS6**, **OS5**, **OS4** (the "Baby OS9"), **OS3**, **OS2**, **OS1**, and **OS0** (Apple, Atari, Commodore, etc.) Object Code if you can get it on a Color Computer Disk. (See Aug. '83 "OS9" Micro Journal "Color Users Notes" Column for a full Review.)  
Color Computer Disk - Object Code Only \$49.95

**FORUM Programming Language**  
**FORUM** Electronics **FORUM** - Inspired by Forth? Here is a Forth package tailored to the Color Computer! This package is supplied on Tape, with instructions for transferring it to disk if you wish. Written primarily in machine language, it's **speed is unparalleled**. A full **Sendgraphic-8** Editor is provided, along with "graphics" like Graphics and Sound Commands, Printer Commands, Auto-Repeat and Control Keys, etc. If you are interested in learning Forth, a **TRAMP** Feature is provided which is invaluable. If you are a Forth Pro, this package provides CPU carry Play accessibility, Fast Task Multiplexing, Clean Interrupt Handling, etc. (or you won't "out grow" the basic capabilities of this implementation). Combine this package with **Joe Rodale's EXCELLENT** Book "Starting Forth", and you will be a Forth expert before you know it (and have a lot of fun doing it!).  
Color Computer Disk w/ instructions for transferring to Disk \$34.95

**Color Computer GRAPHIC SCREEN EDITOR Program**  
Dumps any "FRAME" Screen to the Printer with the BASIC GOSUB Function. Shifts the Printout Left or Right or Inverts Print (Dark for Light, Screen and Vice Versa). All Programs on Tape.  
OS9 for Radio Shack TR-7000/7000 II & DMP 100/200/400 Printers \$7.95  
OS9 for Epson w/ Graphics and Graphics + Printers \$9.95  
OS9 for Gemini 10 and 16 Printers \$9.95  
OS9 for the Prowriter Printers \$9.95

**DATE-O-BASE CALENDAR Program**  
A Menu Driven **EXTENDED BASIC** Program which allows the entry of up to 12 Names per Day, each of which may contain up to 28 Characters, for any day of the Month between the years 1789 and 2099. A Graphic Calendar shows which days contain Names, and a "Key Word" Search is provided which can be output to the screen or Printer.  
TAPE DATE-O-BASE CALENDAR (Each Tape File will hold up to 488 Names) \$16.95  
DISK DATE-O-BASE CALENDAR (4,888 Names per Disk) \$19.95

**INTEREST IN YIELDING (the Money Kind?)**  
An **EXTENDED BASIC** Program that will help you deal with numerous problems requiring interest calculations. Present Value, Rate of Return, Current Bond Yield and Rate of Return to Maturity, Loan Repayment Amortization Schedules, etc.  
TAPE \$29.95

**Data Base Management System**  
**DEK DATA MANAGER G4E - EXTENDED BASIC** w/ Mech. Lang. Routines. Allows a max of 246 Chars. and 16 Fields per Record, and another Record can be linked to the first; 8 Char. Field Names, up to 99 Chars. per Field. Powerful Q-Screen editor for input and update, flexible Output capabilities including output to Disk Files for use by other Programs. Change File Definition without re-entering the Data, Split Files, etc. Allows Multiple Field Sorts, Select on any combination of Fields, etc. An extremely **POWERFUL TOOL**; Instructions provide examples of Mailing Lists and a Financial Stock Profit and Loss Tracking System.  
DISK \$54.95

**ACCOUNTING**  
**DEK DOUBLE ENTRY - DISK EXTENDED BASIC** w/ Mech. Lang. Routines. A "Traditional" Accounting package for Small Business, Clubs, Churches, Personal Use, etc. Up to four levels of subtotals with Trial Balance, Income Statement, and Balance Sheet Reports. DCE allows up to 300 accounts and a Trial Balance of \$9,999,999.99. Transactions may be up to 24 lines long, and comments and explanations may be freely used. Accounts are traceable to the journal transaction, which may include comments. Screen reports allow review of past transactions and current balances.  
DISK \$44.95

**STYLOGRAPH 2.0** - (Now runs on the Data-Camp and PLE Color FLEX Systems) uses the 51 x 24 Display Screens. Full screen display and editing (i.e., what you see is what you get); supports the Delay Menu proportional printers.  
SPECIAL Color FLEX STYLO \$195.00; FLEX and OS-9 STYLO \$295.00; OS9FLEX STYLO \$295.00

**FAST SPELLING CHECKER** - Allows directly changing the Text File, adding words to the dictionary, etc. 75,000 words in less than 400 seconds.  
FLEX, Color FLEX, OS/9 \$125.00 OS9FLEX \$175.00

**MAIL MERGE** - greatly extends the power and flexibility of STYLOGRAPH. Allows Multiple Text files to be printed out as one large document. Provides for merging information into the Text File during printing (such as different names and addresses), etc.  
FLEX, Color FLEX, OS-9 \$145.00 OS9FLEX \$195.00

**IMPROVED Data Base Management System** - An **XBASIC**-based, Menu Driven, **DEK** with "Built-In" Audit Tracking. Extremely Powerful Report & Format Capabilities, etc. This **TIME PROVEN** **DEK** will become the "Mark II" of your Software Stable.  
FLEX and Color FLEX \$295.00; OS9 \$395.00

**Acute Inc., Acute Payable & Cash Ledger** - A **PLE** Accounting Package that can be used together, or as separate packages; provides the IRS required Audit Tracking. (XBASIC based on the "Gaborina Business Programs.")  
FLEX and Color FLEX \$295.00/PROG OS9FLEX \$395.00/PROG

**AN Electronic Speed Sheet**  
**DYNAMIC - THE Electronic Speed Sheet** for **OS9** Computer Systems. An extremely **POWERFUL** Business Tool, this Program will find an unlimited number of "non-business" applications, also (for example, I have just finished setting up a Full Training College Electronics Curriculum using **DYNAMIC**). Advanced features like "Table Lookup" make income Tax work easy; Color or Row Sorting for numerous applications; etc. Completely "Memory Resident", Machine Language, this Program is **FAST**. Provides **STANDARD FLEX** Text File output for use with **BASIC**, Word Processors, Pascal, C, etc.  
FLEX and SPECIAL Color FLEX (Both PC and Data-Camp) \$280.00 OS9FLEX \$395.00

**Weather Applied Business Systems X288 Data Management System** - Possibly one of the most powerful **DEKs** available, this machine language program is small enough to operate on a single sided 5" disk, yet provides the speed of M.L. and power limited only by the user's imagination. Supports Sequential, Hierarchical, and Random Access File Structures, and has Virtual Memory capabilities for those giant data bases. Easy-to-use English Language Command Structure.  
X288 - FLEX and Color FLEX \$175.95 X288 + FLEX and Color FLEX \$258.00

**UNIVERSAL DATA MANAGER INC.** - Note: ALL Accounting and DBM Progs. Require FLEX and **XBASIC**. These are Time Tested programs from an old, established, software house for Color FLEX Systems.  
Data Base Manager Part 1 - \$40.95; Data Base Manager Part 2 - \$49.95  
Church Contributions - \$49.95 Single Entry Gen Ledger - \$49.95 Balanced Billing System - \$49.95

**Interpreted Software for Color FLEX**  
A/C \$99.95 A/P \$99.95 Gen Ledger \$109.00 Inventory 2 \$69.00 Payroll \$99.95

**FLEX and UNIFLEX** - Note: Requires **XBASIC** (FLEX) or **basic** (UNIFLEX)  
A/C - FLEX \$295 UNIFLEX \$395 A/P - FLEX \$295 UNIFLEX \$395  
Gen Ledger - FLEX \$295 UNIFLEX \$395 Inventory 2 - FLEX \$295 UNIFLEX \$395  
Payroll - FLEX \$295 UNIFLEX \$395 DBM - FLEX \$350 UNIFLEX \$450  
Please specify 5 or 8 inch disk when ordering all software!

**Computer Systems Consultants FLEX XBASIC Programs**  
FLEX and Color FLEX \$50.00 UNIFLEX \$75.00  
FLEX and Color FLEX \$100.00 UNIFLEX \$110.00  
FLEX and Color FLEX \$100.00 UNIFLEX \$150.00  
FLEX and Color FLEX \$100.00 UNIFLEX \$200.00

**SPELL "Computer Dictionary" - OVER 120,000 words!**  
No more "Let your fingers do the walking through the Dictionary" while you are inputting Text with your favorite Editor or Word Processor. **SPELL** is more than "another Spelling Checker"; it allows you to look up a word from within your Editor or Word Processor so that you **KNOW** it is right **WHEN YOU TYPE IT** in with the **SPELL** Utility (which operates in the FLEX Utility space). Yes, it **ALSO** allows you to check and update the Text after you are finished; along with allowing you to ADD WORDS to the Dictionary, "flag" questionable words in the Text for evaluation later, "View a word in context" before changing or ignoring, etc. **SPELL** first checks a "Common Word Dictionary", then the actual Dictionary, then a "Personal Word List", and finally, any "Special word list" you may have specified. **SPELL** also allows the use of Small Disk Storage systems.  
FLEX and Color FLEX \$129.95

**JUST - a Text Formatter**  
**JUST**, a Text Formatter developed by Ron Anderson, provides numerous features which make it a valuable addition to any FLEX Users Software Library. **JUST** is designed for formatting Text Output for Dot Matrix Printers and provides many unique features:  
-Output the "Formatted" Text to the Display for format analysis and change.  
-Output the "Formatted" Text to a Text File for use with the **PRINT** Utility (which produces multiple copies of the text on the Printer INCLUDING **INVERTED PRINTER COMMANDS** (this utility is very useful at other times also, and worth the price of the program by itself).  
-User Configurable for adapting to other Printers (comes set up for Epson MX-80 with Graphics); provides for up to ten (10) embedded "Printer Control Commands", such as **Roller** on and off, **bold** on and off, etc.  
-Automatic compensation for a "double width" printed line.  
-Includes the normal line width, margin, indent, paragraph, space, vertical skip lines, page length, page numbering, centering, fill, justification, etc.  
-Use with **ANY** Editor.  
-Supplied with "Structured Source" (Mindrush PL/9); easy to see the flow of the program.  
FLEX and Color FLEX \$49.95

**SPECIAL! SPECIAL! SPECIAL!**  
Star-Rite excellent **SPELL'S** **PCX** Dictionary and **WRITE** to **SPELL** Word Look Up Program IF ONE PROVIDES:  
FLEX and Color FLEX Systems - BOTH for ONLY \$150.00  
When these are gone, the price goes UP! **NO LIMIT** ORDER NOW!

Also, call for "More Info" on both the FLEX Based and Color Computer Based **STAR-RITE** Products including the **ISMS** Monitor, Check "Is The Program, **REMEMBER** Color Computer External Terminal Program, etc.

**PASCAL UTILITIES - Requires LINDNER Pascal ver 3.1**  
**OS9F** - produces a Cross Reference Listing of any text oriented to Pascal Source.  
**OS9FLEX** - allows the inclusion of other Files in a Source Text; has unlimited nesting capabilities. Also allows Binary File Inclusions.  
**PROFLER** - produces an Indented, Numbered, "Structogram" of a Pascal Source Text File. Allows viewing the overall structure of large programs, and provides clues as to the integrity of the program. Supplied as Source Code; requires compilation.  
FLEX and Color FLEX - Each program \$25.00

**COPYCAT** - (Pascal NOT Required) Allows reading TSC Mini-FLEX, OS9 ISMS, and Digital Research C/P/M disks while operating under FLEX 1.0, FLEX 2.0, or FLEX 3.0 with 6800 or 6809 systems. **COPYCAT** will not perform miracles, but, between the program and the manual, you stand a good chance of accomplishing a task. Includes Utilities to List Directories, Copy Files, and Convert Text Files when required. Also includes a utility for investigating Physical Compatibility problems. Programs supplied in **Modular Source** Code to make it easier to solve unusual problems.  
FLEX and Color FLEX \$7 \$50.00 FLEX \$7 \$65.00

**O-F** - **OS/9 TO FLEX - FLEX TO OS/9**  
Finally, the barrier has been removed between OS/9 and FLEX formatted disks! Now you can **READ** from, and **WRITE** to, a Single Sided 5" or 5" FLEX diskette from OS-9 with O-F. O-F is a new and unique program, written in **PARADOX** (with Source), that performs the following functions:  
**REFORMAT** - A **PARADOX** Program that reformats a chosen amount of an OS-9 disk to FLEX format so it can be used normally by FLEX.  
**FLEX** - A **PARADOX** Program that does the actual read or write function to the special O-F Transfer Disk, all selectable from a user-friendly menu. Functions provided include reading the FLEX Directory, Deleting FLEX Files, Copying both Directories, etc. All selections are interactive and complete, including all necessary prompts to the operator. FLEX users can read, write and use the special disk as any other FLEX disk, provided the FLEX directory is not allowed to continue beyond track zero (too many files!).  
FLEX and Color FLEX \$79.95

**COPYFILE.ORG** - Copy LARGE disks to several smaller disks -  
The following FLEX utilities allow the backup of **ANY** disk to any **SMALLER** size diskettes (Minicaster to 8" or 5", 10" to 5", etc.). By simply inserting diskettes as requested by **COPYFILE**, a large disk system may be downloaded to your present floppy disk system, any size. No need to fiddle with directory deletions or any of the other tedious operations that must be done using the normal copy routines.  
**COPYFILE.ORG** understands normal "copy" syntax and always keeps up with files already copied by maintaining Directories for both host and receiving disk system, eliminating hours of tedious keyboard entries and other time consuming cleanup chores.  
**UNCOPY.ORG** is a special program that deconstructs "random" type files, any size.  
**RESTRUCTURE.ORG** is a special program to restructure copied "random" files for copying, or re-copying back to the host system.  
**RESTRUCTURE.ORG** a "bonus" utility that "relinks" the free chain of floppy or hard disk thereby eliminating fragmentation.  
Completely documented source files included. ALL 4 Programs \$90.50 (10" or 5")

**CHESSE GAMES**  
Requires FLEX and DISPLAYS on any Type Terminal.  
Features:  
\*Two display boards. \*Change skill level. \*Deep side. \*Point scoring system.  
\*Four levels of play. \*Solve Chessmate problems in 1-2-3-4 moves.  
\*Make move and swap sides. \*Play white or black.  
This is one of the strongest **CHESSE** programs running on any microcomputer, estimated **USCF** Rating 1600+ (better than most "club" players at higher levels).  
FLEX and Color FLEX \$79.95

**DIST-TRAC Forecaster**  
**DIST-TRAC** Forecaster is an **XBASIC** program that places a diet in terms of either calories and percentage of carbohydrates, proteins and fats (C P G) or grams of Carbohydrate, Protein and Fat food exchanges of each of the six basic food groups (vegetable, bread, meat, skin milk, fruit and fat) for a specific individual.  
Sex, Age, Height, Present Weight, Frame Size, Activity Level and Basal Metabolic Rate for normal individual are taken into account. Ideal weight and sustaining calories for any weight of the above individual are calculated. When a weight goal is given (either gain or loss), and a calorie plan is agreed upon between the computer and the individual, the number of days to reach the weight goal is projected. The starting and ending rate of weight loss is calculated, and a daily calendar with each day's weight for a 30-day period is printed.  
FLEX - \$79.95 UNIFLEX - \$89.95

**UNIFLEX** - A **COMMODORE** Package for the **UNIFLEX** Operating System -  
Allows **UNIFLEX** Based Systems to Transmit and Receive Files to and from other Computer Systems via Modem. Use with CP/M, Main Frames, other UNIFLEX Systems, etc.  
- Verifies Transmission integrity using checksum or CRC  
- Automatically Re-transmits bad blocks  
- Transmits Data in 128 byte blocks  
UNIFLEX \$299.99

**Super Sleuth** - Powerful, **INTERACTIVE**, Disassembler; provides Hex/ASCII Screen Dump of Memory Blocks or Disk Files for easy Examining/Change, Hex Definitions; X-REF Generator of Source Codes; Change Address Labels to Hexary, etc. Disassembles **OS9**, **OS8**, **OS7**, **OS6**, **OS5**, **OS4**, and **OS3** Code.  
Color FLEX (3), Only \$90.00, w/SOURCE \$99.00; FLEX \$99.00; UNIFLEX \$100.00; OS-9 \$100.00

**DYNAMIC + -** An "easy to use" 6809 Disassembler for use w/ Disk Files, (will also disassemble **OS9** Code). Develop a "Control File" of Area Definitions during successive disassemblies; X-ref Source Files; replace hex locations with Label Names; etc. Label Files provided for Mini-FLEX, FLEX2, FLEX3, Color Computer FLEX.  
\$100.00 OS-9 \$150.00 UNIFLEX \$180.00

**ASSEMBLER**  
**TSC Macro Assembler** - the **FLEX** **RECURSIVE** Assembler - FLEX and Color FLEX \$50.00  
- TSC Macro, Asmb./Link. Load. - Used for many of the C and Pascal Comp. FLEX and Color FLEX \$250.00  
**REMAC** - Relocating, Recursive-Macro Assembler and Linking Loader for the 6809. Use either standard Motorola Format or Special 2d Smith Format. Supports Recursive Macros, Conditional Assembly, etc. Opt. X-ref Listing; Includes a Small Line-oriented Editor as part of the Assembler. Greatly improved operating manual. FLEX and Color FLEX 6809 REMAC w/Link and Editor \$150.00 w/Source, add \$50.00

**Omegasoft Relocatable Assembler and Linking Loader** - 2-pass Reloc. Asmb. 2-pass Link. Load. Supports 4 Char. Labels, System Calls (SWIK) POB X), Expressions with Arith., Logic, and Shifts, etc.  
FLEX and Color FLEX \$125.00 (one year Maint. \$50.00)

**NACE** - (By Graham Trotter) from **MINIBYTE MICRO SYSTEMS**. A combined Editor/Assembler designed to allow the Programmer to Enter, Edit, and Assemble Programs with minimum of effort, while leaving the Program. **NACE** is a Cross Assembler for the **MC6800** 3/3 and **Hitachi HD6301** (CMOS 6801) with the same functions and features as **NACE**.  
FLEX and Color FLEX - \$90.00

**BUS** - Re-Create a Source Listing from **UNIFLEX** Compiled **BASIC** Programs. Easy to Use; works w/ ALL Versions of **UNIFLEX** basic; Output to Disk or Term. Time TESTED and **PROVEN**; **SELIS** UNIFLEX \$219.95

**PL/9** - (By Graham Trotter) from **MINIBYTE MICRO SYSTEMS**. A "Structured" Assembly Language Editor/Compiler/Debugger, All in **ONE PACKAGE**; provides a totally **INTERACTIVE** Program Development Cycle. The Compiler supports Large Symbol Tables, Variable Types, Pointers, Control Structures, Stack, A-0, and D-Register manipulation, etc. The Source oriented Trace/Debugger provides Single Stepping, Breakpointing, etc. An excellent Software Development Tool for utilizing the power of the 6809.  
FLEX and Color FLEX - \$190.00

**C** - (By James McKeeth) from **MINIBYTE MICRO SYSTEMS**. **OS9** C Compiler for the FLEX operating System. Needs the TSC Relocating Assembler/Linking Loader for those "Full blown" System Packages.  
FLEX and Color FLEX - \$265.00

**Intel 6809 "C" Compiler**; generates very efficient object code. Output "benchmark" close to **1000** **ASSEMB** in 8 bit Operations; 1.5 times faster than a 4 Mhz 588 when using a 2Mhz 6809 System (See p. 43, "OS9" Micro Journal, May '81).  
FLEX, Color FLEX, OS/9 \$175.00 UNIFLEX \$425.00

**TSC PASCAL** - Native Code Compiler (UCSD Oriented). FLEX and Color FLEX \$200.00

**Lindner PASCAL** - P-Code Compiler (ISO Standard). Designed especially for Microcomputer Systems; Run-time System checks available resources for each task, allowing operation on even minimal computer systems. Allows linkage to Assembler Code for maximum flexibility.  
FLEX and Color FLEX \$7 \$100.00 FLEX \$7 \$200.00

**Omegasoft PASCAL** - For the **PROFESSIONAL**; ISO Based, Native Code Compiler. For Real-Time and Process Control applications. Use custom I/O devices in place of the Pascal INPUT and OUTPUT Long Int. (32 bit); Dynamic length strings; Interrupt Processing, **RM-80**, **PLC**, **Re-entrant** Code, etc. **FORTRAN** Includes Source for the Symbolic Debugger, Runtime, and several utilities. Requires a "Motorola Compatible" Relocating Assembler and Linking Loader.  
P/C32 FLEX and Color FLEX \$425.00 (one year Maint. \$100)

**COMBINE** - Multi-task, Multi-Tasking with FLEX

**Southwest Media** is now shipping **DYNAMIC FROM STOCK** - the multi-user, multi-tasking capability of **DYNAMIC** allows FLEX users the advantages of more sophisticated and fast saving computer usage without having to buy or learn a new language or operating system syntax. **DYNAMIC**, as its name implies, allows true "time-sharing" operation under the popular FLEX operating system, and also allows each user to run two simultaneous jobs (multi-tasking) even on single-user systems. For example, while in EDIT, you can list another file or examine a directory. Or, you might look up an item in a data base while a Sort is in progress. **DYNAMIC** also provides some fringe benefits that will be greatly appreciated by FLEX users, including type-ahead, command line editing, and instant response to "escape".

**DYNAMIC** is the painless method of using your existing FLEX computer by simply adding 64K of RAM for each user. That is, you still use FLEX just like you always have! **DYNAMIC** is not intended as competition to UNIFLEX. It does not improve on the speed of FLEX, and does not offer password protection or other notions of a full-blown multi-user system. What **DYNAMIC** does do is give FLEX users a low-cost way to use existing software in a multi-user, multi-tasking environment, so your existing FLEX versions of **BASIC**, **XBASIC**, editors, assemblers, disassemblers, sort/sieve packages, word processors, compilers, **DYNAMIC** speed-sheet package, and so on are still good.

**NOTE** - The initial releases of **DYNAMIC** are for **OS9** 2/09 Computers, but versions will also be available for other popular extended-memory (up to 128K) systems, such as **HELIX** and **OS9**. A minimum of 128K of RAM will be required with ALL versions. **DYNAMIC** requires 64K of RAM for each active task; thus a 256K system could allow foreground-background operation on two terminals, or foreground-only operation on four terminals.  
**REMARKS** - \$200.00

**ATTENTION - MICROCOMPUTER QUALITY SOFTWARE SERIES**  
FLEX - UNIFLEX - OS/9 - Color Computer

For the past several months, we at the Southwest Media Division of Computer Publishing, Inc. (CPI), the parent company of "OS9" **MICRO JOURNAL** and **COLOR MICRO JOURNAL**, have debated expanding our software distribution business. Many other magazines have been doing so for years (in fact, MOST were in the Software Distribution business BEFORE they began to publish a Magazine). Presently there are many fine examples of software that has been developed by YOU, our readers, that will never see the "light of day" due to the cost of advertising and TIME and cost involved in the production, distribution, and Customer SUPPORT of that software unless SOMEONE, with enough expertise and the willingness to continually advertise, runs with the ball.

Software is the "backbone" for the **REAL** utilization of any computer system, and ours are no exception! This has been no simple decision. While we realize that there could be some conflict with some of our advertisers, we ALSO have a **LOCAL** and **CONTINUOUS** cry for **HELP** from our Readers. From day one, the foremost concern of "OS9" **MICRO JOURNAL** has been it's **READERS**. Therefore, our Southwest Media Division will accept, for appraisal for possible distribution, 6809 software Games, Utilities, Software Development, Business Application Programs, etc.

In the past there has been too much software offered that was not quite ready. We will strive to eliminate that element. But, right up front, we tell you only that we will do our very best; nothing more. Also, we will strive to keep cost to a bare minimum, while securing for the author a fair return in royalty payments, promptly paid, and in customer support for his product.

Of course, we will expect, no - **EXPECT**, that the author keep the product free of errors (bugs), and maintain it in a prompt and business like manner. Also we shall require that authors be willing to furnish "source" for those programs that justify, by price and utility, inclusion of same. The lack of source code, properly commented, is a continual complaint we hear. Not all programs will be sold with source, but where necessary, we will insist that it be included.

In some instances the program may be small or short and not justify itself as a "single" sale product. In this event it will be combined with other like programs, and offered as a package. In that event, the royalties will be split between the various authors.

If you have software that you feel will qualify under this program, please contact one of the people below. Remember, if your software has any problems or "bugs" - **GET IT FIXED BEFORE YOU CONTACT US!** Also get your source code in proper shape and well commented; there is too much OS9 code already drifting around.

If your software is **READY** contact: Bob Ray, Don Williams, or Tom Williams

Southwest Media is a division of Computer Publishing, Inc. (CPI),  
a family of 100+ 6809 support facilities.

Depend On South East Media

Make Your 'BACK-UP' On South East Media

FREE DISKETTE With Each \$50 Purchase

"FLEX is a trademark of Technical Systems Consultants  
"OS9 is a trademark of Microware

For Ordering Call TOLL FREE 1-800-338-6800

**SOUTH EAST MEDIA**  
5900 Cassandra Smith Rd., Hixson, TN 37343  
(615) 842-4601

Color Micro Journal

You have probably noticed that the same list of strings found in the Entry Routine is used in the SCAN Routine, but in a little different order, and at TAB(28) there is the same number that was generated for each entry by the  $N=N+1$  in 2170. By using this number, you can edit entries from outside the program. This may seem inconvenient, at first, but it saves considerable memory and works quite well.

To Edit, you must first have the entry number. Use SCAN to find the bad entry, and write down the number to its right. Have the correct entry ready. Press <BREAK>. Now, if, for example, the check number should have been 1555 and the entry number was 123, type in  $NU\$(123)="1555"$  and press <ENTER>. Or, if the amount should have been \$234.00 and the entry number was 112 then type  $AM(112)=234.00$  and press <ENTER>. Each string in Line 6500 can be used in this way.

The timing loops can be changed to suit your preference. I made them faster after I had used the program for a while. By increasing the number, you increase the pause between prints. If you change them, remember to put the highest number with the line for the slowest timing.

#### USING THE PROGRAM

One of the many reasons I had for doing my own program was that the inexpensive Bookkeeping Programs I had seen had no feature for job information, other than to make up a whole account for each job. If you have a lot of small jobs, this can be a pain. Not only does it waste memory, but it doesn't link with general categories well. Amounts are entered either to this account or that

account, but not to both.

The way MICROBOOKS is written, you can put information from ANY entry into at least two categories. And JOB could be changed to ITEM for more general applications. You can get figures from the same entry, even from the same amounts, for separate categories. For example, I can call for a total spent for materials, or for a total spent on one job. Even though the amounts are mixed, I can get both sets of information by using both descriptors.

Lets get a little more specific. My expenses include materials, labor, truck, tools, office, personal, charitable contributions, and taxes and licensing. Rather than use numbers which I find hard to remember, I use three letter abbreviations: MAT, LAB, TRU, TOO, OFF, DRA (for draw), CON and TAX. Job numbers start with J (J147 etc.) if it is an expense. I use an M prefix (for "M"oney in the bank) if it is income. (This actually makes another category of information to draw from.) You could have as many categories as you have entries if that is what you need.)

You have probably noticed that Listing 1 has Income Entry routines, but Listing 2 does not. This is another way to save memory. By using an "Account Descriptor" to distinguish between Income and Expense, the same routine can be used for both tasks.

Most of my data is Expense since a large deposit usually covers many small expenses. If your operation is sales oriented, you might have more income entries. JOB# could be changed to SALE#. To keep track of certain of my personal expenditures, which come from the "draw" account, I use fictitious job numbers so I can locate these non business items.

MICROBOOKS is user friendly in the sense that once you know what you are going to do, you can do it easily and quickly. I'm sure that someone knowledgeable in setting up books could get more out of it than I can. It is somewhat similar to a Single Entry Ledger, with the account descriptors paralleling columns headings and the payee descriptor paralleling line headings. With these, and the added JOB parameter, you can develop considerable utility, but it does take imagination.

#### EXPERIMENTING

If the program is still too big to suit you, you can take out some more fat by altering some of the screen prompts, combining a few more lines, etc. Combining lines is a tedious process, but will remove a surprising amount from the size (it is a good idea to only compress ONE LINE at the time, then RUN the Program to see if you introduced any problems). I have reduced it to below 1700 bytes by continuing to work on it in these ways, and would be glad to hear from anyone who has made it smaller yet.

It was a little surprising to learn that renumbering it to 1 per line actually removes over 100 bytes. This is of little significance if you have 32K, but that 100 bytes equals 4 to 6 entries, which could make a difference in small memory. Use  $RENUM$ , (old first line number), 1.

I have put Listing 2 plus a 1.7K version plus a 3.2K version with edit, tape merge, and a number of other bells, whistles and conveniences on a

cassette. If you would like to have this, plus a fairly detailed documentation, send \$10.00 to the author, c/o this Magazine.

Jim Lalone

#### LISTING 1

```
1 CLEAR4000 POBOOKS 28 4369
5 DIMNU$(200),DA$(200),PA$(200),
AM(200),JO$(200),AC$(200)
10 N=1
1000 ' MENU
1010 CLS:PRINT:PRINT
1020 PRINT" SELECT ONE"
:PRINT:PRINT
1030 PRINT" <1> ENTER EXPE
NSES"
1040 PRINT" <2> ENTER INCO
ME"
1050 PRINT" <3> MONTH TOTA
LS"
1060 PRINT" <4> YEAR TOTAL
S"
1070 PRINT" <5> VIEW FILES
"
1080 PRINT:INPUT" ENTER YOU
R SELECTION";F
1090 IFF<0ORF>5GOTO1000
1100 ON F GOTO 2000,3000,4000,50
00,6000
2000 '
2010 ' ENTER EXPENSES
2020 '
2030 ' SUB MENU
2040 '
2050 CLS:PRINT:PRINT"
CHOOSE ONE"
2060 PRINT:PRINT:PRINT:PRINT"
<1> NEW FILES"
2070 PRINT:PRINT" <2> EXT
END FILES"
2080 PRINT:PRINT:PRINT:PRINT:INP
UT" YOUR SELECTION";A$
2090 IFA$="1"THEN2195
2100 IFA$="2"THEN2500
2110 IFA$<0ORA$>2THEN2050
2170 '
2180 ' ENTER EXPENSES
2190 '
2195 N=1
2200 CLS:PRINT" INPUT EXPENSES-P
RESS <XX> FOR NUMBER? WHEN FI
NISHED"
2210 PRINT" last entry was:"NU$(
N-1)
2220 INPUT" NUMBER";NU$(N)
2230 IFNU$(N)="XX"THEN2320
2240 INPUT" DATE";DA$(N)
2250 INPUT" PAYEE";PA$(N)
2260 INPUT" AMOUNT";AM(N)
2270 INPUT" JOB #";JO$(N)
2280 INPUT" ACCOUNT";AC$(N)
2290 INPUT" IS THIS CORRECT? <Y>
OR <N>";A$
2300 IFA$="N"THEN2220
2310 N=N+1:GOTO2200
2320 PRINT" LOAD AND REWIND TAPE
"
2330 PRINT" PRESS RECORD"
2340 INPUT" PRESS <ENTER> TO CON
TINUE";R$
2350 OPEN"O",#-1,"EXPENSE"
2360 PRINT#-1,N
2370 FORJ=1TON
2380 PRINT#-1,NU$(J),DA$(J),PA$(
J),AM(J),JO$(J),AC$(J)
2390 NEXTJ:CLOSE#-1
2400 CLS:PRINT@233,"DATA IS STOR
ED":FORI=1TO1000:NEXTI
2410 GOTO1000
2500 '
2510 ' EXTEND EXPENSE FILES
2520 '
2530 CLS:PRINT" TO EXTEND EXP
ENSE FILES"
```



#### GRAND SLAM BRIDGE



SHARPEN UP YOUR BRIDGE GAME. COM-PUTER BIDS YOUR PARTNER'S HAND AND PLAYS THE OPPONENT'S HANDS. RANDOM HANDS DEALT EACH TIME. CARDS, TRICKS, BIDS, AND CONTRACT SHOWN ON SCREEN.

32K CASSETTE \$19.95

#### \$ STOCK OPTION STRATEGIES \$

DEVISE YOUR OWN STOCK OPTION STRATEGIES. COVERED OPTIONS, STRADDLES, CALLS, AND PUTS. % GAINS AND LOSSES VS. FUTURE STOCK PRICES GRAPHED IN COLOR. EASY TO USE, NO DATA BASE REQUIRED, JUST ENTER FROM KEYBOARD. MENU DRIVEN.

16K CASSETTE \$14.95

SEND CHECK OR MONEY ORDER TO:

GREENTREE SOFTWARE  
P.O. BOX 97  
GREENWOOD, IN 46142



```

2540 PRINT:PRINT:PRINT" LOAD CA
SSETTE CONTAINING CUR RENT FI
LES ENTERED TO DATE"
2550 PRINT:PRINT:PRINT" REWIN
D TAPE-PRESS PLAY"
2560 PRINT:PRINT:INPUT" PRESS
<ENTER> WHEN READY";R$
2570 '
2580 ' LOADING
2590 '
2600 CLS:PRINT@234,"LOADING DATA
"
2610 OPEN"I",#-1,"EXPENSE"
2620 INPUT#-1,N:FORJ=1TON
2630 INPUT#-1,NU$(J),DA$(J),PA$(
J),AM(J),JO$(J),AC$(J)
2640 NEXTJ:CLOSE#-1
2650 CLS:PRINT@233,"DATA IS LOAD
ED"
2660 FORT=1TO1000:NEXTT
2670 GOTO2200
3000 '
3010 ' ENTER INCOME
3020 '
3030 ' SUB MENU
3040 '
3050 CLS:PRINT:PRINT"
CHOOSE ONE"
3060 PRINT:PRINT:PRINT:PRINT"
<1> NEW FILES"
3070 PRINT:PRINT" <2> EXT
END FILES"
3080 PRINT:PRINT:PRINT:PRINT:INP
UT" YOUR SELECTION";S$
3090 IFSS="1"THEN3195
3100 IFSS="2"THEN3500
3110 IFSS<0ORS$>2THEN3050
3170 '
3180 ' ENTER INCOME
3190 '
3195 N=1
3200 CLS:PRINT" INPUT INCOME-PRE
SS <XX> FOR NUMBER? WHEN FI
NISHED"
3210 PRINT" last entry was:"NU$(
N-1)
3220 INPUT" NUMBER";NU$(N)
3230 IFNU$(N)="XX"THEN3320
3240 INPUT" DATE";DA$(N)
3250 INPUT" PAYER";PA$(N)
3260 INPUT" AMOUNT";AM(N)
3270 INPUT" JOB #";JO$(N)
3280 INPUT" ACCOUNT";AC$(N)
3290 INPUT" IS THIS CORRECT? <Y>
OR <N>";A$
3300 IFA$="N"THEN3220
3310 N=N+1:GOTO3200
3320 PRINT" LOAD AND REWIND TAPE
"
3330 PRINT" PRESS RECORD"
3340 INPUT" PRESS <ENTER> TO CON
TINUE";R$
3350 OPEN"O",#-1,"INCOME"
3360 PRINT#-1,N
3370 FORJ=1TON
3380 PRINT#-1,NU$(J),DA$(J),PA$(
J),AM(J),JO$(J),AC$(J)
3390 NEXTJ:CLOSE#-1
3400 CLS:PRINT@233,"DATA IS STOR
ED";FORT=1TO1000:NEXTT
3410 GOTO1000
3500 '
3510 ' EXTEND INCOME FILES
3520 '
3530 CLS:PRINT" TO EXTEND INC
OME FILES"
3540 PRINT:PRINT:PRINT" LOAD CA
SSETTE CONTAINING CUR RENT FI
LES ENTERED TO DATE"
3550 PRINT:PRINT:PRINT" REWIN
D TAPE-PRESS PLAY"
3560 PRINT:PRINT:INPUT" PRESS
<ENTER> WHEN READY";R$
3570 '
3580 ' LOADING
3590 '
3600 CLS:PRINT@234,"LOADING DATA
"
3610 OPEN"I",#-1,"INCOME"

```

```

3620 INPUT#-1,N:FORJ=1TON
3630 INPUT#-1,NU$(J),DA$(J),PA$(
J),AM(J),JO$(J),AC$(J)
3640 NEXTJ:CLOSE#-1
3650 CLS:PRINT@233,"DATA IS LOAD
ED"
3660 FORT=1TO1000:NEXTT
3670 GOTO3200
4000 ' MONTH TOTALS
4100 CLS:T=0:PRINT:INPUT" NAME
ACCOUNT TO BE TOTALED ";B$
4110 CLS:PRINT:PRINT:PRINT:PRINT"
REWIND TAPE-PRESS PLAY"
4120 PRINT:PRINT:PRINT:INPUT"
PRESS <ENTER> WHEN READY";R$
4130 CLS:PRINT@236,"SCANNING"
4140 OPEN"I",#-1,"EXPENSE"
4150 INPUT#-1,N:FORJ=1TON
4155 INPUT#-1,NU$(J),DA$(J),PA$(
J),AM(J),JO$(J),AC$(J)
4160 NEXTJ:CLOSE#-1
4165 FORJ=1TON
4170 IF B$=AC$(J) THEN T=T+AM(J)
ELSE IF B$=JO$(J) THEN T=T+AM(J)
)
4175 NEXTJ
4200 CLS:PRINT:PRINT:PRINT" T
OTAL SPENT ON JOB# "B$," IS $
"T
4210 PRINT:PRINT:PRINT:PRINT:PRI
NT:PRINT:INPUT" PRESS <ENTER>
FOR MENU";R$
4220 CLS:GOTO1000
5000 CLS:INPUT" NOT P
ROGRAMMED YET PRESS <
ENTER> FOR MENU";R$:GOTO1000
6000 ' INPUT DATA
6010 CLS:PRINT:PRINT:PRINT:PRINT"
REWIND TAPE-PRESS PLAY"
6020 PRINT:PRINT:PRINT:INPUT"
PRESS <ENTER> WHEN READY";R$
6030 CLS:PRINT@234,"LOADING DATA
"
6040 OPEN"I",#-1,"EXPENSE"
6050 INPUT#-1,N:FORJ=1TON
6060 INPUT#-1,NU$(J),DA$(J),PA$(

```

```

J),AM(J),JO$(J),AC$(J)
6070 NEXTJ:CLOSE#-1
6080 CLS:PRINT:PRINT" SCREENING
SPEEDS-CHOOSE ONE"
6090 PRINT:PRINT:PRINT:PRINT"
<1> LOW SPEED"
6095 PRINT:PRINT" <2> H
IGH SPEED"
6110 PRINT:PRINT:INPUT"
YOUR SELECTION";S
6120 ON S GOTO6130,6190
6130 CLS:FORJ=1TON
6140 PRINT:PRINT NU$(J);TAB(8)DA
$(J);TAB(17)PA$(J);PRINTAM(J);TA
B(8)"JOB#";JO$(J);TAB(17)AC$(J)
6150 FORT=1TO300:NEXTT
6160 NEXTJ
6170 INPUT" PRESS <ENTER> FOR
MENU";R$
6180 GOTO1000
6190 CLS:FORJ=1TON
6200 PRINT:PRINTNU$(J);TAB(8)DA$(
J);TAB(17)PA$(J);PRINTAM(J);TAB
(8)"JOB#";JO$(J);TAB(17)AC$(J)
6210 FORT=1TO100:NEXTT
6220 NEXTJ
6230 INPUT" PRESS <ENTER> F
OR MENU";M$
6240 GOTO1000

```

#### LISTING 2

```

4 CLS
5 PRINT" MICROBOOKS
BY JIM LALONE"
6 '
7 FORT=1TO2000:NEXT
10 CLEAR5000:DIMNU$(230),DA$(230
),PA$(230),AM(230),JO$(230),AC$(
230):N=1:T=0
1000 GOSUB6000:PRINT@136,"<1> LE
DGER":PRINT@168,"<2> TOTALS":PRI
NT@200,"<3> SCAN FILES":PRINT@23
2,"<4> UNASSIGNED":PRINT@327,;:I

```



# XDMS - the time saver...

If you're ready to really get some use out of your CoCo - Then it's time for XDMS! The XDMS Data Management System is designed to allow quick and easy file definition, update and processing - All without programming! It will handle anything from bowling scores to inventory and can produce reports, inquiry, forms, screen and file output.

Multi-step processing is controlled by English-like statements, either interactively or from a file. (This is MUCH more flexible than menu driven systems.) Complex functions, such as file merging, generation and summation of arrays, line calculations, subtotalling, selection, etc, are easily accomplished with "results oriented" instructions.

Once installed, you will find XDMS applicable to a wide variety of uses. (You may even wonder why others bother with specific application programs when XDMS does it all!) So put the joysticks aside, load in XDMS, and get some real use out of your CoCo - It's time has come...

XDMS Data Management System (5" or 8" disk) . . . . . \$179.95  
XDMS+ Data Management System with DMS Utilities . . . . . \$249.95

**WESTCHESTER Applied Business Systems**  
Post Office Box 187, Briarcliff Manor, N.Y. 10510

All software is written in macro/assembler and runs under 6809 FLEX. CoCo users will need F-MATES or FHL FLEX, 64K RAM and 1-2 disk drives. Terms: Check, Money Order, Visa or Mastercharge. Shipment first Class. Add P&H \$2.50 (\$7.50 Foreign). N.Y. Res add sales tax. Specify 5 or 8". Sales: Southeast Media 800-338-6800 Consultation: 914-941-3552 eves.

FLEX is a trademark of Technical Systems Consultants, Inc.

## COMPILER EVALUATION SERVICES

The S.E. MEDIA Division of Computer Publishing Inc., is offering the following

'SUBSCRIBER SERVICE':

### COMPILER COMPARISON AND EVALUATION REPORT

Due to the constant and rapid updating and enhancement of numerous compilers, and the different utility, appeal, speed, level of communication, memory usage, etc., of different compilers, the following services are now being offered with periodic updates.

This service, with updates, will allow you who are wary or confused by the various claims of compiler vendors, an opportunity to review comparisons, comments, benchmarks, etc., concerning the many different compilers on the market, for the 6809 micro-computer. Thus the savings could far offset the small cost of this service.

Many have purchased compilers and then discovered that the particular compiler purchased either is not the most efficient for their purposes or does not contain features necessary for their application. Thus the added expense of purchasing additional compiler(s) or not being able to fully utilize the advantages of high level language compilers becomes too expensive.

The following COMPILERS are reviewed initially, more will be reviewed, compared and benchmarked as they become available to the author:

PASCAL "C" GSPL WHIMISCAL PL/9

Initial Subscription - \$39.95  
(includes 1 year updates)  
Updates for 1 year - \$14.50

S.E. MEDIA - CPI  
5900 Cassandra Smith, POB 794  
Hixson, TN 37343  
615 842-4601

```

INPUT"YOUR SELECTION";S:IFS<1ORS>
4THEN1000
1010 ONS GOTO2000,3000,4000,5000
2000 GOSUB6000:PRINT@168,"<1> NE
W FILES":PRINT@232,"<2> EXTEND F
ILES":GOSUB6100:IFSS="1"THEN2100
2010 IFSS="2"THEN2020ELSE2000
2020 GOSUB6000:IFAS="Y"THEN2100
2030 IFAS="N"THEN2400ELSE2020
2100 CLS:PRINT" INPUT ENTRIES -
WHEN FINISHED REPLY <XX> TO <N
UMBER?>":IFSS="1"THEN2105ELSE:PR
INT" last entries: "NU$(N-2)" &
"NU$(N-1):GOTO2110
2105 SS="":PRINT
2110 INPUT" NUMBER";NU$(N):IFNU$(
N)="XX"THEN2100
2120 INPUT" DATE";DA$(N):IFDA$(N
)="CC"THEN2110
2130 INPUT" PAYEE/ER";PA$(N):IFP
A$(N)="CC"THEN2110
2140 INPUT" AMOUNT";AM(N):INPUT"
JOB#";JO$(N):INPUT" ACCOUNT";AC
$(N):INPUT" IS THIS CORRECT? <Y/
N>";AS:IFAS="N"THEN2110
2170 N=N+1:GOTO2100
2180 CLS:PRINT@129,;:INPUT"HOW M
ANY SAVES";SA:IFSA=0THEN1000ELSE
PRINT@225,"LOAD AND REWIND TAPE"
:PRINT@289,"PRESS RECORD":PRINT:
INPUT" PRESS <ENTER> TO CONTINUE
";RS
2300 CLS:FORV=1TOSA:PRINT@233,"S
TORING DATA":OPEN"O",#-1,"LEDGER
":PRINT#-1,N:FORX=1TON:PRINT#-1,
NU$(X),DA$(X),PA$(X),AM(X),JO$(X
),AC$(X):NEXTX:CLOSE#-1:FORT=1TO
1500:NEXTT,V:CLS:PRINT@233,"DATA
IS STORED":FORT=1TO900:NEXTT:GO
TO1000
2400 REM EXTEND LEDGER
2420 CLS:PRINT@4,"TO EXTEND LEDG
ER FILES":PRINT@97,"LOAD CASSETT
E CONTAINING FILES ENTERED TO D
ATE":GOSUB6200:GOTO2100
3000 REM TOTALS
3010 GOSUB6000:PRINT@104,"<1> SU
B TOTALS":PRINT@168,"<2> BALANCE
SHEET":PRINT@232,"<3> UNASSIGNE
D":PRINT:PRINT:GOSUB6100:IFSS="1
"THEN3100
3020 IFSS="2"THEN3200
3030 IFSS="3"THEN3300ELSE3010
3100 GOSUB6000:IFAS="Y"THEN3130
3110 IFAS="N"THEN3120ELSE3100
3120 CLS:PRINT@33,"LOAD CASSETTE
CONTAINING FILES TO BE TOTALED
":GOSUB6200:CLS
3130 T=0:INPUT" JOB OR ACCOUNT";
B$:IFB$="END"THEN1000ELSE:FORX=1
TON:IFB$=AC$(X)THEN T=T+AM(X)ELSE
IFB$=JO$(X)THEN T=T+AM(X)
3140 NEXTX:PRINT" TOTAL IN "B$"
IS: ";:PRINTUSING"$$$###.##";T:
GOTO3130
3200 GOTO6300
3300 GOTO6300
4000 REM SCAN FILES
4020 GOSUB6000:IFAS="Y"THEN4050
4030 IFAS="N"THEN4040ELSE4020
4040 CLS:PRINT" LOAD TAPE TO
BE SCANNED":PRINT:GOSUB6200
4050 CLS:GOSUB6000:PRINT@169,"<1
> SLOW SCAN":PRINT@233,"<2> FAST
SCAN":GOSUB6100:IFSS="1"THEN407
0
4060 IFSS="2"THEN4080ELSE4050
4070 CLS:FORX=1TON:FORT=1TO170:N
EXTT:GOSUB6500:NEXTT:GOTO6600
4080 CLS:FORX=1TON:FORT=1TO80:NE
XTT:GOSUB6500:NEXTT:GOTO6600
5000 GOTO6300
6000 CLS:PRINT@75,"SELECT ONE":R
ETURN
6100 PRINT@360,;:INPUT"YOUR SELE
CTION";SS:RETURN
6200 PRINT:PRINT:PRINT" REWIN
D TAPE-PRESS PLAY":PRINT:PRINT:I
NPUT" PRESS <ENTER> WHEN READY
";RS:CLS:PRINT@233,"LOADING DATA

```

```

":OPEN"1",#-1,"LEDGER":INPUT#-1,
N:FORX=1TON:INPUT#-1,NU$(X),DA$(
X),PA$(X),AM(X),JO$(X),AC$(X):NE
XTX
6210 CLOSE#-1:CLS:PRINT@233,"DAT
A LOADED":RETURN
6300 CLS:PRINT" NOT PROGRAMMED":
FORT=1TO900:NEXT:GOTO1000
6500 PRINT:PRINTTAB(1)NU$(X);TAB
(8);:PRINTUSING"####.##";AM(X);:
PRINTTAB(17)PA$(X):PRINTTAB(1)DA
$(X);TAB(12)AC$(X);TAB(17)"JOB#
"JO$(X);TAB(28)X:RETURN
6600 PRINT:INPUT" ANOTHER SCA
N? <Y/N>";SS:IFSS="Y"THEN4060
6610 IFSS="N"THEN1000ELSE6600
6800 CLS:PRINT@228,;:INPUT"IS TA
PE LOADED? <Y/N>";AS:RETURN

```

## LANDER GAME

### 4K LANDER GAME

Hey 4Ker, tired of all the CoCo articles requiring 16K or more? Well, here's a Lunar Lander type game that uses Color Basic and only about 2K, so it should run on your machine.

The game has five difficulty levels which determine the size of the landing pad, the amount of fuel on board, and partially determines the strength of the gravitational field. The landscape changes each time you play, and the ship will appear at a different location, but will always be in the upper half of the screen. The ship will have random vertical and horizontal motion when first appearing. It is controlled using the Left and Right Arrow Keys for sideways motion and Number Keys one to four for vertical rocket thrust. You must guide the ship to a safe landing on the blue pad. To do this, the ship must not be moving any faster than five units down and one unit sideways, in either direction.

Now let us examine the listing. Line 3 has the POKE 65495,0 speedup command. If your computer cannot handle it, omit this line. Line 6 lets you input the difficulty level. Note that one is hardest while five is easiest.

Lines 12-63 draw the landscape and landing pad. Line 12 produces a random number that determines where the pad will be placed. Lines 15-18 set some variables to zero allowing the game to replay without having to restart. Lines 21-24 determine how long and high any ground feature will be. Lines 30-36 set the ground layer and lines 39-42 build it up to make a triangle shape. Note that these are variables, so you may get some strange shapes (what do you expect on an unknown planet, anyway!).

Line 45 sets the location for the next ground feature and line 48 checks to see if it is time for the pad to be drawn, or if it has already been drawn as controlled by the J variable. If the pad has been drawn or, it is not yet time for it, line 51 sends the program back to draw the next ground feature. Otherwise lines 54-63 draw the landing pad. Line 54 and 58 control the size of the landing pad.

Lines 66-69 pick the random location for the ship. Line 72 determines how strong the gravity field will be. Line 75 determines the amount of fuel you get, which ranges from 250 to 450 units.

Color Micro Journal

Lines 78-81 picks random side and downward motions for the ship. If SV is negative, the ship moves left; positive and it moves right. If SV equals six, it will have no side motion.

Line 84 draws the ship the first time it appears. Afterwards, the ship is controlled via the keyboard. This is done in a loop that starts at line 87, where the ship's downward velocity is increased by the gravity field divided by three. Do not ask why I used this particular formula, it just seemed to work out nicely.

Line 98 will skip over your keyboard control if you have used all your fuel, but the graphics will be continued until the bitter end.

Lines 93-102 are the sub loop that checks keys one to four. By using the PEEK command, the keys can be held down for continuous engine thrust. Line 99 checks which key, if any is pressed, and makes the value of BX equal to BU, which is the rocket burn.

Lines 108-111 use the PEEK command to check on the arrow keys and make the adjustments to the side velocity. They also have a sound effect and use fuel.

Line 114 figures out your vertical velocity status if the main engine has been fired. Note that the burn factor remains constant for each key, but its effect is determined by the strength of the gravity field. As the field gets stronger or weaker, the burn will have less or more effect.

The altitude readout is determined by the Y, or height component, of the ship times ten. If the ship's height is less than 50, it is multiplied by two to make it look a little better. If the Y component reaches 28, the ship has hit bottom and crashed.

Line 123 adjusts the ship's vertical visual movement in accord with its velocity. Feel free to change the parameters, but remember you have less than 30 points to work with.

Lines 126-132 control the ship's sideways movements. Line 135 checks to see if the ship has reached either the top or sides of the screen. The ship's motion will continue unless you or gravity do something, but it will happen off screen as line 135 will make the program skip over the graphics until the ship is back within the screen's limits.

Line 138 actually draws the spaceship. Line 141 checks your fuel and sets it to zero if you burned it up in the last loop. Line 144 gives the readout of the various factors found at the bottom of the screen. F is fuel, A is altitude, S is sideways motion, V is vertical velocity, and G is gravity field strength. If V is negative, you are going up. Positive and you are coming down. When you land, S cannot be greater than plus or minus one and V cannot be greater than five.

Line 147 again checks to see if the ship is on or off the screen. If off, you loop back to 87 to start another cycle. If on, lines 150-167 check to see if you have hit the ground or landing pad. This is done by checking the color of the three points directly under the ship, and one on each side when it is above a certain height. If they register white, you have hit something. Below a certain height the three points under the ship are the only ones checked but with a difference. Instead of being immediately under, they are the next level down. I had to do this because

of the way CoCo handles low resolution color blocks. In a four block square, each color has to be the same. What was happening was when the ship was one level above the pad, it would turn the pad yellow, matching its color. Since the computer was only looking for white and blue, it would take no action and the ship would continue down and through the pad. To prevent this, I adjusted the points to be checked so they would be in a different square than the ship. The ship now lands one level above the pad.

If the ship has not hit anything, or landed, line 168 resets the points so a new position can be displayed. Line 171 is used after the first time the ship is drawn so that the computer will accept keyboard inputs, and 174 sends the program back to start the loop over.


If you hit the ground, line 177 lets you know and 180-192 tells you what you did wrong. Lines 195-198 produce a sound effect and 201 moves you to the play again option.

If you did land on the pad, lines 204-207 make sure you were within the given parameters, and if not, sends you to line 177 to tell you that you blew it. Line 210 congratulates you if you did it right, and 213-216 produce a sound effect. Line 219 again asks if you want to play again. If you choose to play, you go back to line 6 and can choose a new level. You automatically

get a new landscape. If you choose not to play, line 225 shuts off the high speed poke and ends the game.

That, in a cracked nutshell, sums it up. If you need a justification of what is going on, pretend you are trying to remote control ships to a safe landing after they have warped out of hyperspace. We all know how tricky hyperspace is, so over which planet, and where over it, and going in what direction is all left up to chance. In each ship is a cargo of gold, or arms, or gorgeous members of the opposite sex, or whatever your little heart lusts for. To reap the rewards, you must bring those little ships in safe and sound.

```
1 REM LANDER BY ROBERT TOSCANI
3 POKE65495,0
6 INPUT"LEVEL 1 HARD-5 EASY";H
9 CLS0
12 L=RND(42)
15 E=0:RT=0:J=0
18 F=0:G=0
21 B=RND(27):IF B<7THEN21OR IF E
>50 AND B<12THEN21
24 D=RND(28):IF D<14 OR D>27THEN
24
27 FOR C=29 TO D STEP-1
30 FOR A=E+F TO E+B-G
33 IF A>63THEN66
36 SET(A,C,5):NEXTA
39 F=F+1:G=G+1
42 NEXTC
```



## QUESTION

**WHEN WAS THE  
LAST TIME YOU  
HAD A TALK  
WITH YOUR  
COCO**



**THE SPECTRUM VOICE PAK** - a CoCo voice synthesizer - is a complete phoneme based voice system that uses the famous VOTRAX SC01 chip synthesizer in a cartridge style pak. It provides an unlimited vocabulary with automatic or user supplied inflection, plus four programmable levels of pitch. With a single line of code, THE VOICE PAK adds speech to any BASIC program in minutes. The system comes complete with user instructions, software cassette with 16K and 32K - DISK/TAPE versions, a text to speech scanner translator and a Word Manager that constructs and edits custom user dictionaries. The unit is fully assembled, tested and ready to plug in and talk, talk, talk. \$69.95

ALL ORDERS PLUS \$3.00 S/H - NY RESIDENTS ADD SALES TAX

SPECTRUM PROJECTS / 93-15 86th DR / WOODHAVEN NY 11421 / 212-441-2807

```

45 E=E+B
48 IF E>=L AND J=0 THEN 54
51 GOTO 18
54 FOR K=1 TO H+4
57 SET(E+K, 29, 3)
58 IF E+K>63 THEN 63
60 NEXT K
63 E=E+K:J=1:GOTO 18
66 M=RND(60):N=RND(11)
69 IF M<4 OR N<3 THEN 66
72 GR=RND(12)-H:IF GR<=4 THEN GR=
3
75 FU=200+H*50
78 SV=RND(11):IF SV<=5 THEN SV=S
V ELSE IF SV>6 THEN SV=SV-5 ELSE
SV=0
81 VE=RND(30)
84 IF RT=0 THEN 138
87 BX=0:BU=0:VE=VE+INT(GR/3)
90 IF FU<=0 THEN 114
93 FOR PE=339 TO 342
96 BX=BX+BX+1
99 IF PEEK(PE)=239 THEN BU=BX:SOU
ND 90-(BU*2),1
102 NEXT PE
105 FU=FU-BU
108 IF PEEK(343)=247 THEN SV=SV-
1:SOUND 100,1:FU=FU-1
111 IF PEEK(344)=247 THEN SV=SV+1
:SOUND 100,1:FU=FU-1
114 VE=INT(VE-BU*.5)
117 AL=(28-N)*10:IF AL<50 THEN A
L=(28-N)*2
120 IF N>27 THEN 177
123 IF VE>0 AND VE<20 THEN N=N+1
ELSE IF VE>=20 THEN N=N+2 ELSE IF
VE<0 AND VE>=-20 THEN N=N-1 ELSE IF
VE<=-20 THEN N=N-2
126 IF SV=0 THEN S=0:GOTO 135
129 S=INT(SV/2):IF S=0 THEN S=1
132 M=M+S
135 IF M<=2 OR M>60 OR N<=0 THEN 1
44
138 SET(M-1,N+1,2):SET(M+1,N+1,2
):SET(M,N,2):SET(M+1,N+2,2):SET(
M,N+2,2):SET(M-1,N+2,2)

```

```

141 IF FU<0 THEN FU=0
144 PRINT@480,"F";FU;:PRINT@485,
"A";AL;:PRINT@492,"S";SV;:PRIN
T@499,"V";VE;:PRINT@504,"G";GR
;
147 IF M<=2 OR M>60 OR N<=0 THEN 8
7
150 IF N=25 THEN ZX=1 ELSE ZX=0
153 IF N=25 THEN CV=3 ELSE CV=4
156 IF N=25 THEN BN=4 ELSE BN=3
159 FOR QW=ZX TO CV:ER=POINT(M-2
+QW,N+BN)
162 IF ER=5 THEN 177 ELSE IF ER=
3 THEN 204
165 NEXT QW
168 RESET(M-1,N+1):RESET(M+1,N+1
):RESET(M,N):RESET(M+1,N+2):RESE
T(M,N+2):RESET(M-1,N+2)
171 RT=1
174 GOTO 87
177 PRINT@0,"CRASHED!";
180 IF VE>5 AND AL<19 THEN PRINT" G
OING TOO FAST";
183 IF FU<=0 THEN PRINT" RAN OUT O
F FUEL";
186 IF AL>19 THEN PRINT" RAN RIGHT
INTO IT";
189 IF AL<19 AND ER=5 THEN PRINT" M
ISSED THE PAD";
192 IF SV<=1 OR SV>1 THEN PRINT" TO
O MUCH SIDE MOTION"
195 FOR U=255 TO 1 STEP -3
198 SOUND U,1:NEXT U
201 GOTO 219
204 IF VE>5 THEN 177
207 IF SV<=1 OR SV>1 THEN 177
210 PRINT@0,"GREAT LANDING";
213 FOR U=1 TO 255 STEP 5
216 SOUND U,1:NEXT U
219 PRINT" TRY AGAIN Y/N":INPUT
D$
222 IF D$="Y" THEN 6
225 POKE 65494,0:END

```

Robert Toscani

## THIS 'N THAT

Continued from page 1

gained an excellent reputation for the quality and support of their products. We will have a full review of the FDC-1 next month, but, in the mean time, here are some of our initial findings.

F & D is primarily ONLY selling the PC Board and a 'special' chip (the FDC9216B), with instructions, for \$49.95. The PC Board will have Gold Plated PC Lands for the Edge Connector, and the circuitry consists of only about two dozen parts, total, including 14 IC's and a Crystal, with NO Adjustments. It will take an experienced "Solderer" less than two hours to assemble the unit once he has the parts rounded up, and the layout is 'spacious', so the soldering is not at all tedious. Ours worked the first time we plugged it in. We used a standard Western Digital Controller Chip, and had NO problems with Radio Shack or FLEX, but was unable to format an OS-9 Disk due to a chip timing problem. A call to F & D, and some checking and discussions, led to the discovery that OS-9 works fine with the Radio Shack supplied Disk Controller Chip, but NOT with the standard WD Chip. Also, the FDC-1 is designed to use either an F & D ROM (FADBUG-C, \$25.00), OR the standard Radio Shack Disk BASIC ROM (about \$35.00, depending on your source). So far, we are EXTREMELY pleased with this Color Computer Disk Controller.

### "This Month"

It is the "Nature of the Beast" that MOST Color Computer Owners are NEW Computer Users, and therefore have MANY questions about much of the 'stuff' that many of us consider to be 'Old Hat'. Yet, there is also a HIGH percentage of CoCo Owners that are "mature" Computer Users; who understand Disk Systems, Assembly Language Programming, etc. With Color Micro Journal's thrust towards USABLE INFORMATION for the Color Computer User, we must provide a broad coverage of material.

The large majority of CoCo Owners have, and are fairly familiar with, the Tape System and its operation, but the Disk Systems open up a whole new can of worms. We have an Article this month that should help those considering the purchase of a Disk System by answering some basic questions about Disk Systems, and especially the CoCo's.

For the BASIC Users, we offer a "Lander" type of Game for the 4K Owners, and a Small Business Bookkeeping System for the Tape Users. Finally, we have the first part of an Assembly Language "Linking Loader" System which can be Assembled for either Radio Shack DOS or the FLEX DOS. The Source Code, which is fairly lengthy, will be presented next month. With the Microcomputer systems moving more and more towards the "Large System" procedures of modularized structures, and the use of Relocating Assembler/Linking Loaders, we have oriented this Article towards both providing some background information on Linking Loaders, their use and operation, and then will provide the Program that will allow you to use the concepts in building up a "Library" of "Linkable Modules" which can be included in your Machine Language Programs as needed.

Color Micro Journal

# Gold Plug 80

TRS-80+ MOD I, III, COCO, TI99/4a  
TIMEX 1000, OSBORNE, others

## GOLD PLUG - 80

Eliminate disk reboots and data loss due to oxidized contacts at the card edge connectors.

**GOLD PLUG 80** solders to the board edge connector. Use your existing cables. (if gold plated)

<b>GOLD PLUG 80 Mod I (6)</b>	\$44.95	<del>\$54.95</del>
Keyboard/EI (mod I)	15.95	<del>18.95</del>
Individual connectors	7.95	<del>9.95</del>
<b>COCO Disk Module (2)</b>	16.95	<del>18.95</del>
Ground tab extensions	INCL	<del>1.00</del>
Disk Drives (all R.S.)	7.95	<del>9.95</del>
Gold Disk Cable 2 Drive		29.95
Four Drive Cable		39.95
<b>GOLD PLUG 80 Mod III (6)</b>		54.95
Internal 2 Drive Cable		29.95
Mod III Expansion port		10.95
USA shipping \$1.45		Can/Mex \$4.
Foreign \$7.		TEXAS 5% TAX

Ask your favorite dealer or order direct



ORDER TODAY!


**E.A.P. CO.**

P.O. BOX 14

KELLER, TEXAS 76248

(817) 498-4242

+ trademark Tandy Corp



MC/VISA

# **SUPER SALE ON**

## **NEW DISK DRIVES**

**As low as \$199.00 with  
Power Supply and Case  
Plus 6 Month Warranty**

### **Even more Savings!!**

Color Computer Controller .....	<b>\$139.95</b>
Color Computer Disk Drive Kit .....	<b>\$349.95</b>
Diskettes .....	from <b>\$19.95</b>
Disk Drive Head Cleaning Kits .....	<b>\$Call</b>
Disk Drives Cleaned & Aligned & Tested .....	<b>\$29.95</b>
Case And Power Supply	
Single drive .....	<b>\$49.95</b>
Dual drive .....	<b>\$79.95</b>
Unadvertized Specials .....	<b>\$Call</b>

**Call us today!!  
(617) 234-7047**

We welcome • Visa/MasterCharge

• Checks (allow 2 weeks for clearing)

• C.O.D. (add \$2.00 per shipment)

Shipping: Please call for amount.

TRS-80 trademark

Tandy Corporation



**TRUE DATA PRODUCTS**

**195 Linwood Street, P.O. Box 546**

**Linwood, Massachusetts 01525**

**(617) 234-7047**

## HELP!

We are receiving more and more requests for "Hardware" INFORMATION and PROJECTS; Basic Digital Electronics, information on the "innards" of the CoCo such as the SAM Chip, PIAs, VDG, A/D and D/A conversions, the Memory Chips and Addressing Methods, Video Systems, Disk Controllers and Chips, etc. We also see a lot of interest for information about "adding more capability" to the Color Computer, such as a Hard Disk Interface, ACIA's, R-G-B conversions, etc. How about some of you "Hardware Hackers" giving us a call, or drop us a note. We are also receiving a lot of requests for "basic information"; BASIC Programs for 4K systems, Methods for using the Tape System for File Storage and Retrieval, etc., etc.; etc.

## CoCo POWER . . .

Some of us have been "preaching" about the power of the Radio Shack TRS-80C Color Computer since it first hit the streets, because we KNOW the capabilities of the 6809 CPU that resides under the cover of this Computer. While the Z80 Series CPU Chips are very good devices, they have been "out-dated" by what has been learned during the last 10 to 15 years of USING Microcomputers, and by the progression of Programming Methods over this same period of time. In the vast majority of cases, the Z80 has been strapped to the CPM Disk Operating System, which STILL restricts the Z80 to the old 8080 Instruction Sub-set, which makes NO use of some of the Z80's more powerful capabilities.

One of the most illuminating comparisons between the two CPU Chips can be found in the Operating Systems available for them. While probably 90% of the Assembly Language Programmers in the US has been working with the Z80 for better than 10 years, they are JUST NOW beginning to develop Multi-User, Multi-Tasking Operating Systems for that CPU (such as Oasis, Isis, Zenix, etc.). Less than a year after the 6809 hit the market, there were TWO good Multi-User, Multi-Tasking Operating Systems available for the it; OS-9 and UNIFLEX. Now, as I am sure most of you are aware, OS-9 is running on the Color Computer.

Another indication of the power of the Color Computer is the number of them purchased by "Technical" people; especially those in the Space Industry. From the Engineers through the "Technicians", the Color Computer appears to be their primary choice.

While it is extremely powerful, it also has some limitations. The biggest limitation is the use of Software in providing the Serial Output and Keyboard Interface. This really shows up with the OS-9 Operating System, which much prefers to be "doing its own thing" rather than having to look through rows and columns for a key from the Keyboard, or "punch bits" through a PIA to provide a Serial Output. Even with this limitation, OS-9 still provides more inherent power in an Operating System than is available for any other Home Computer, and most Business Computers.

Overall, the Color Computer provides more Power for the Dollar than ANY other Computer available; Home or Business, Micro or Mainframe. No, the Color Computer will not replace the Business Computers, small or otherwise.

The Color Computer's slot in the "scheme of things" is in the area of EDUCATION.

The first area of learning that the Color Computer fills is that of "Personal Computer Education". EVERYONE knows that "Computers" are the "wave of the future". They are appearing EVERYWHERE: on the job, in the home, in college; in household appliances, in cars, in the grocery store cashiers line, at the 'instant banker' location, in the drug store, in the auto repair shop, etc., etc. "John Doe" buys a "Personal Computer" just to keep from being left behind in the world he lives in. For around \$300, he can begin to "learn about Computers", and for less than \$2000 total, spread over a period of time, he can have a Computer System that provides an introduction to the use and operation of some of the most sophisticated and powerful Operating Systems in the World, along with the availability of equally powerful Programming Tools.

The other area of EDUCATION which can be fulfilled by the Color Computer is that of "Formal Education"; i.e., in the Schools. Here, even more than in the Home, COST is a major consideration. Again, the Color Computer is "untouchable" as far as capability versus cost is concerned. In the lower Grades, the combination of Color and Sound provides maximum attention span, and is EASY to Program on the CoCo. In the later Grades, the Color Computer provides the Advanced Operating Systems and Programming Languages that can allow a student to move into a College Situation and concentrate on CONCEPTS, rather than learning "how to use the Computer".

The major hold-up in the Color Computers emergence as a MAJOR Educational Tool is the shortage of GOOD Software. If you look at the emergence of Software for the comparable Computer Systems (i.e., Atari, Apple, Commodore - the little TI is not even in the same league), you will see that the first 'thrust' of the Software was towards Games. This happens for a couple of reasons: first, that is the "quick buck" Market and provides both the Computer Programmer and Computer User a means of becoming familiar with the machine; and, second, it allows Programmers to develop techniques and skills to be used as a basis for writing good 'Working' Software. We are now beginning to see some results from these experiences in some of the CoCo Software. All of this Software is applicable to the "Computer Education" area; i.e., the Computer User uses it to learn more about HIS Computer, and Computers in general.

The REAL lack of GOOD Software in is the "Formal Education" area. There are a few good programs, mostly in the below 7 year old area, but there the Software dies. Not only is this area weak on the Color Computer, but it is no better with ANY of the small Computers. The problem is not so much that the Software is not available; it is that the BASIC CONCEPTS are wrong! The use of the Computer in Formal Education requires DIFFERENT methods and concepts than the old, established, "book learning" methods. New techniques for instruction are required, along with new classroom concepts, different teaching methods, etc. How many of your childrens'

\*\*\*\*\*  
**NEW** for the Color Computer TRS-80  
**'COCOCASSETTE' SUBSCRIPTION SOFTWARE**  
\*TRS-80 IS A TRADEMARK OF TANDY COMPANY



**ENJOY A MONTHLY COLLECTION OF 8-10 PROGRAMS!**  
 Including games, education, home finance and more;  
 on cassette for as low as \$5.00 a month! Add some ac-  
 tion and imagination to your Color Computer. . . Best of  
 all, we do the work!

**LOOK AT SOME OF THE LETTERS WE RECEIVED FROM OUR SUBSCRIBERS.**

"I just thought I'd let you know that your cassettes arrive in good order, load just fine, and I really enjoy your program!"  
MAISON, OHIO

"I was extremely impressed by the first tape I received from you. The added extras are just super."  
WILSON GROVE, PENNSYLVANIA

"Seldom do I ever write a fan letter. Usually if something is good, nothing is ever said. I just renew the subscription or buy the product instead. TGD is an exception. I subscribe to several cassette computer magazines. Yours is certainly the most creative. The covers are original and clever. The material covered is excellent!"  
PINE BLUFF, ARKANSAS

"I only entered a six-month trial but am already writing to extend my subscription!"  
COCKLEWATER, TENNESSEE

**PRICES**

1 YR (12 ISSUES) . . . \$55.00  
 6 MO (6 ISSUES) . . . \$30.00  
 SINGLE COPIES . . . \$ 6.00

—MICHIGAN RESIDENTS: ADD 4% TO ORDER  
 —OVERSEAS: ADD \$10.00 TO SUBSCRIPTION AND \$1.00 TO SINGLE COPIES



**TGD SOFTWARE**

PROGRAMS ARE FOR  
 EXTENDED BASIC  
 MODEL ONLY. ISSUES  
 ARE SENT FIRST CLASS.



IMMEDIATE SHIPMENT!  
 PERSONAL CHECKS WELCOMED!  
 SEND CHECK OR MONEY ORDER TO:



**T & D SOFTWARE P.O. BOX 256-C • HOLLAND, MICH 49423**

\*\*\*\*\*

schools "Have a Computer"? Well, how many **USE JUST ONE TYPEWRITER** for a typing class? See what I mean. Not only that, but most school administrators can not even grasp the concept that a Program for an Apple will not run on a Color Computer. After all, a Computer is a Computer. Right?

Even though there is a **REAL** need for a **MAJOR OVERHAUL** in the Educational System, and the Computer appears to provide **MANY** of the answers, it will take a long time to overcome the inertia of the "present system". Most of you reading this can begin to make some inroads in these areas through work with School Groups, such as the PTA, by offering your "expertise", and **RECOMMENDING** the Radio Shack Color Computer. You can put a half dozen CoCos in a classroom for **ONE** Apple, and give up **WHAT?** Sure, there is a lot of Software for the Apple, but is it any better than the little bit available for the CoCo? **NO!** In fact, as I mentioned earlier, there is very little **VALID** Software available for **ANY** of the computers. Most of the Computers in a School are used either to keep kids "out of the way", or as a "candy bar" for doing something right. **VERY SELDOM** is a Personal Computer put to any good use in a School. Think about **YOUR** situation, and let us know **YOUR** thoughts on the matter.

We will pursue this matter as time goes on. Again, let us know your thinking, whether you are a Parent, a Software Developer, a Teacher, or what ever; **LETS HEAR FROM YOU!**

--- RIN, Editor ---

# GRAPHIC LETTERS

Here is a useful utility, **LETTERS**, that I wish you to consider for possible publication. I am 15 years old and I have owned my Color Computer for two and half years. I enjoy using the graphic and sound capabilities of the Color Computer, and I have written **LETTERS** to be an aid in doing so.

**LETTERS** is designed to provide text symbols on the graphic screen without the time-consuming chore of drawing each individual one. It is not designed to replace the text screen, but to make it easier to use labels and prompts for your hi-res games and graphic displays.

I have included in **LETTERS** almost all of the Keyboard Symbols available. The 26 letters correspond to a variable named the same as the letter. For example: to draw the letter 'A' type **DRAW A\$**. The letter 'X' would be **XX\$**.

The numbers are drawn in a different way. For example: to draw the number '5' type **DRAW N\$(5)**. The N stands for number and the number in parenthesis is the number you want to draw. The numbers range from 0 to 9. To draw a larger number such as '29' type **DRAW N\$(2)+N\$(9)**.

Here is a list of symbols that have more than one letter for a variable.

- + PLUS\$
- MINUS\$

x (TIMES)	MULT\$
DIVISION SIGN	DIVIS\$
=	EQUAL\$
!	EXCLAIM\$
"	QUOTE\$
#	NUMBER\$
\$	DOLLAR\$
'	APOSS\$
%	PRCENT\$
(	LPAREN\$
)	RPAREN\$
-	DASH\$
,	COMMA\$
/	SLASH\$
<	LTHAN\$
>	GTHAN\$
:	SEMI\$
:	CLON
?	QMARK\$
UP ARROW	ARROW\$
UNDERLINE	ULINE\$
.	PERIOD\$
SPACE	SP\$

If you wanted to draw something on the graphic screen, here is an example of what you would enter:

```
10 PMODE 4:PCLS:SCREEN 1,1
20 DRAW "BM0,100"+LL$+EE$+TT$+TT
$+EE$+RR$+SS$+SP$+SP$
30 DRAW A$+DASH$+ZZ$+SP$+N$(1)+D
ASH$+N$(9)
40 GOTO 40
```

The result the graphic screen would look like this:

**LETTERS A-Z 1-9**

Here is a description of each line:

LINE 10: Sets the pmode, clears the graphic screen and sets the color mode. These can be whatever you want them to be. Of course, the symbols look best in PMODE 4, since it is the highest resolution.

LINE 20: Starts to DRAW at location 0, 100 on the graphic screen. The 0 is the horizontal coordinate, and 100 is the vertical coordinate. These can also be whatever you wish. Then it draws the word **LETTERS** and two spaces following it.

LINE 30: Draws the letters 'A-Z' and the numbers '1-9'

LINE 40: It keeps going back to itself, and it will keep the program in an endless loop to keep the graphics on the screen. It can be stopped by pressing the **BREAK** Key.

Be sure that there are no variables in your program that have the same variable names as the ones used in **LETTERS**. This will cause undesired results in your program. I have used double variables such as **BB\$** and **ZZ\$** to keep them from getting confused from variables such as **B\$** and **Z\$**. On the longer variable names, such as **EQUAL\$**, the computer only uses the first two letters - **EQ\$**, so be sure no other variables in your program have even the first 2 letters of a variable the same. If you want to use shortened variables, that will work fine; I have used longer variables to keep the program organized.

Use **LETTERS** as a subroutine at the end of you program. The first or second line of your program should **GOSUB** to that routine and then **RETURN**. All the variables will be defined, and you will not need to go back to that routine again.

I hope **LETTERS** will make it easier to provide text on the graphic screen. Many times I have avoided putting text in my graphic programs because it was too difficult. It is now much easier with this utility. This program can be modified to suit you needs, or used as

## Color Computer Software

<b>SUPER SLEUTH DISASSEMBLER</b> (specify for 680x/6502 or for Z80/8080/5) Object-Only Version (680x/6502) For Color FLEX or OS/9 CoCo Sleuth	Each \$99-FLEX \$101-OS/9 \$50.00 \$49.00
<b>CROSS-ASSEMBLERS</b> (specify for 6800/1,6805, 6502,Z80, or 8080/5)	Each \$50-FLEX \$55-OS/9
<b>DEBUGGING SIMULATORS</b> (specify for 6805 or 6502)	Each \$75-FLEX \$100-OS/9
<b>6502-TO-6809 ASSEMBLER XLATOR</b>	\$75-FLEX \$85-OS/9
<b>6800-9 &amp; 6809 PIC XLATORS</b>	Both \$50-FLEX \$75-OS/9
<b>FULL SCREEN TSC XBASIC PROGRAMS FOR FLEX</b> (with full cursor control)	
<b>MAILING LIST</b>	\$100
<b>INVENTORY/MRP</b>	\$100
<b>TABULA RASA SPREADSHEET</b>	\$100
<b>XBASIC/XPC UTILITIES</b> (reseq, xref, xpc sort gen)	All \$25

Computer Systems Consultants, Inc.  
1454 Latta Lane  
Conyers, Georgia 30207  
404-483-1717/4570

Programs in source on 5 1/8" disk.  
Detailed printed manuals provided.  
Call for catalog or dealer information.

VISA and MASTER CARD accepted. Add 5% Shipping  
US Funds Only

\*FLEX is a trademark of Technical Systems Consultants  
\*OS9 is a trademark of Microware

a sub-routine in your programs; even ones you wish to copyright. I just ask that you simply mention in REM statements, or in you title screen, where you took it from (this is standard procedure for any Published information - Editor). I hope you enjoy LETTERS!

```
10 ****      LETTERS      ***
20 ****      BY PETER STUMPF      ***
50 CLEAR 1000
60 DIMN$(15)
70 GOSUB 2000
710 ****DRAW TITLE SCREEN***
720 PMODE4,1:PCLS:SCREEN1,1
730 GOSUB820:GOSUB940
740 SCREEN1,0:GOSUB940
750 PMODE3,1:PCLS:SCREEN1,1
760 GOSUB820:GOSUB940
770 SCREEN1,0:GOSUB940
780 PMODE1,1:PCLS:SCREEN1,1
790 GOSUB820:GOSUB940
800 SCREEN1,0
810 GOSUB940:GOTO720
820 DRAW"BM40,40S12"+LL$+EE$+TT$
+TT$+EE$+RR$+SS$
830 DRAW "BM44,40"+UL$+UL$+UL$+U
L$+UL$+UL$
840 DRAW"BM102,65S8"+BB$+YY$
850 DRAW"BM35,90"+PP$+EE$+TT$+EE
$+RR$+SP$+SS$+TT$+UU$+MM$+PP$+FF
$
860 DRAW"BM0,120"+AA$+BB$+CC$+DD
$+EE$+FF$+GG$+HH$+II$+JJ$+KK$+LL
$+MM$
870 DRAW NN$+OO$+PP$+QQ$+RR$
880 DRAW"BM0,140"+SS$+TT$+UU$+VV
$+WW$+XX$+YY$+ZZ$
890 DRAW EC$+QU$+NU$+DO$+PR$+AP$
+LP$+RP$+EQ$+DA$
900 DRAW"BM54,160"+AR$+PL$+SE$+C
L$+LT$+GT$+CO$+PE$+QM$+SL$
910 DRAW"BM50,180"+N$(1)+N$(2)+N
$(3)+N$(4)+N$(5)+N$(6)+N$(7)
920 DRAW N$(8)+N$(9)+N$(0)
```

```
930 RETURN
940 FORX=1TO1000:NEXT
950 RETURN
2070 ****INITILIZE LETTERS***
2080 SP$="BR9"
2090 AA$="BR3U4E2F2D2LAR4D2"
2100 BB$="BR3R3L3U6R3FDGL3R3FDGB
R"
2110 CC$="BR3BUFR3L3HU4ER3BD6"
2120 DD$="BR3R3L3U6R3FD4GBR"
2130 EE$="BR3R4L4U3R3L3U3R4BD6"
2140 FF$="BR3U3R3L3U3R4BD6BL"
2150 GG$="BR3BUFR2EUHLBL2D2U4ER3
BRBD6"
2160 HH$="BR3U6D3R4U3D6"
2170 II$="BR3R4L2U6L2R4BD6"
2180 JJ$="BR3BUFR2EU5BD6"
2190 KK$="BR3U6D3RE3G3P3"
2200 LL$="BR3BU6D6R4BL"
2210 MM$="BR3U6F2E2D6"
2220 NN$="BR3U6DF2F2DU6BD6"
2230 OO$="BR3BUU4ER2FD4GL2HFBR3"
2240 PP$="BR3U6R3FDGL2BD3BR3"
2250 QQ$="BR3BUU4ER2FD4GL2HFR2EH
F2BL"
2260 RR$="BR3U6R3FDGL3R2F2D"
2270 SS$="BR3BUFR2EUHL2HUER2FBD5
"
2280 TT$="BR3BU6R4L2D6BR2
2290 UU$="BR3BU6D5FR2EU5BD6"
2300 VV$="BR3BU6D2FD2FEU2EU2BD6"
2310 WW$="BR3BU6D6E2F2U6BD6"
2320 XX$="BR3UE4UBLADF4D"
2330 YY$="BR3BU5UDF2E2UDG2D3BR"
2340 ZZ$="BR3BU6R4DG4D1R4
2350 ****INITILIZE OTHER SYMBOLS*
*
2360 PLUS$="BR5BUU4D2L2R4BRBD3"
2370 MINUS$="BR5BU3R4BD3
2380 MULT$="BR5BUE3BL3F3HLBDBR2"
2390 DIVI$="BR5BU3R4L2BUUBD3DBR2
BD1"
2400 EQUAL$="BR5BU3R4BUL4R4BD4"
2410 EXCLAIM$="BR3BR2UBU2U4BR2BD
6"
2420 QUOTE$="BR3BRBU4U2BR2D2BR2B
```

```
D6"
2430 NUMBER$="BR3BU2U4BR2D4URL4B
U2R4BD5BR2"
2440 DOLLAR$="BRBU2R4U2L4U2R4L2U
D6BR3BD"
2450 PRCENT$="BR3BU6DRUBR3G5BR3U
RDBRBD"
2460 APOS$="BR3BRBU6UDGBR3BD5"
2470 LPAREN$="BR5BUHU4EBR2BD6
2480 RPAREN$="BR5EU4HBR2BD6
2490 DASH$="BR3BU3R4BD3"
2500 COMMA$="BR3BRUDGBR3"
2510 PERIOD$="BR3UDBR4"
2520 SLASH$="BR3UEU2EU6BD6
2530 LTHAN$="BR3BU3F3H3E3BD6BR"
2540 GTHAN$="BR3BR4BU3G3E3H3BD6B
R4"
2550 CLON$="BR3BRBUUBU6BD4BR2"
2560 SEMI$="BR3EUBU6BD4BR2"
2570 QMARK$="BR3BR2UBU2REUHL2GB
D5BR4"
2580 ARROW$="BR3BR2U6G2R4H2BD6BR
2"
2590 ULINE$="BR0BD1R8BU1
2600 '***INITIALIZE NUMBERS***
2610 N$(1)="BR3BR2R4L2U6G2BD4BR3
"
2620 N$(2)="BR3R4L4U2E1R2E1U1H1L
2G1BD5BR4"
2630 N$(3)="BR3BU1F1R2E1U1H1L1R1
E1U1H1L2G1BD5BR4"
2640 N$(4)="BR6U6G3R4BD3"
2650 N$(5)="BR3BU1F1R2E1U1H1L2H1
U2R4BD6"
2660 N$(6)="BR2BUFR2EUHL2GDU4ER2
FBD5"
2670 N$(7)="BR3U1E3U2L4D1BD5BR3
2680 N$(8)="BR3BR1R2E1U1H1L2G1D1
F1H1U1E1H1U1E1R2F1D1G1F1D1BD1"
2690 N$(9)="BR3BU1F1R2E1U4H1L2G1
D1F1R3BD3"
2700 N$(0)="BR3BUFR2EU4HL2GD4E4B
D5
2710 RETURN
```

Peter Stumpf

# ACORN

COMPUTER SYSTEMS SS-50C

Color Computer





Stackable Modules		KIT	AMT
30 amp POWER SUPPLY w/fan w/Disk protect relay		350.00	400.00
DISK CABINET w/reg. & cables less DRIVES		260.00	350.00
MOTHER BOARD, 8 SS-50c, 8 SS-30c NMI button		225.00	325.00

Item	Base	KIT	AMT
ITS - INTERRUPT TIMER 1, 10, 100 per sec.	19.95	29.95	39.95
PB4 - INTELLIGENT PORT BUFFER Single board comput.	39.95	114.95	139.95
DP1A - Dual PIA parallel port 4 buffered I/Os	24.95	69.95	89.95
IADR - Extended Addressing 8AUD gen. PIA port	29.95	69.95	89.95
MBS - MOTHER BOARD SS-50c w/8AUD gen.	64.95	149.95	199.95
P168 - 168K PROM DISK 21, 2764 EPROMs	39.95	79.95	109.95
FD88 - Firmware development 2, 8K blocks	39.95	84.95	114.95
EMPR - 2764 PROM burner adapt. for 2716 BURNER	19.95		

Color Computer

MONOLINE - 20 Mhz Monochrome video driver	15.00	20.00
CC30 PORT BUS w/power supply 5 SS-30, 2 Cart	189.95	199.95
POWER BOX 8 switched outlets transient suppression	29.95	39.95
RS-232 3-switched ports for above		ADD +20.00 +25.00



11931 W. Bluemound Road  
MILWAUKEE, WIS. 53226  
(414) 257 - 0300



Write for FREE Catalog  
ADD \$3.00 S&H PER ORDER  
WIS. ADD 5% SALES TAX



26

Color Micro Journal

# COLOR TUTOR REVIEW

Elite Software  
Box 11224  
Pittsburg, PA 15238  
16K Ext. BASIC  
Tape - \$19.95; Disk - 22.95

Learning is not a gift. Learning is a habit of employing certain skills necessary to retain information. Students who appear to have an easy time mastering their studies will tell you that the secret is having good study habits (SKILLS). Time spent by students with good study habits is well used time. Many students complain that the material or subject of study was very hard to learn, even after hours of trying to learn it. On the other hand some students will report that had they no unusual complications of learning their subject even when they spent much less time at study. Spending twenty minutes to study (employing good study habits) will allow a student to follow the material and retain it better than a student (who has not developed good study habits) who has spent two hours studying.

COLOR TUTOR by JOHN WACLO is not going to give a person good study skills overnight, but it will guide a person through a subject matter in a uniform manner that will begin to pay dividends from the very start. Using COLOR TUTOR is easy and repetitive. COLOR TUTOR provides a skeletal structure by which study material can be entered into a computer, edited, and saved on either disk or tape (depending on which version you need). I will restrict my remarks to the Disk Version, although the Tape Version is exactly the same.

Once you have inserted your COLOR TUTOR disk into the machine and powered up, merely type:

## RUN "TUTOR"

A menu will appear on the screen as follows:

1. TYPE NEW LESSON
2. LOAD LESSON FROM DISK
3. EDIT LESSON FROM DISK
4. SAVE LESSON ON DISK
5. STUDY LESSON
6. EXIT LESSON

When selecting #1, you will be prompted with:

## HOW MANY QUESTIONS DO YOU HAVE?

At this time you enter the number of questions you desire (a maximum of 50 questions are allowed for one lesson). This will be followed by:

## TYPE QUESTION 1:

A question mark is automatically entered for you after each question is typed. After typing in the question, you will be asked to type in the answer to question #1. This will continue until you have typed in the pre-selected number of questions and answers. If a 16K machine is being used, restriction to 32 characters (64 on 32K machines) for each question is recommended. The program then returns to the main menu.

If a person has already entered a list of questions and answers, then selecting #2 will call that data in from the disk by asking for the:

## FILENAME

Once the data has been loaded into memory, the main menu will reappear for you to make a selection.

If the need arises to change a question or answer because of a typographical error, using #3 (EDIT LESSON MATERIAL) will ask which question or answer you want to change, by number. A nice feature to this program is that when selecting #3, a password must be entered. This keeps unauthorized editing of a lesson to a minimum. Options for continuation of editing or returning to the main menu are given after each question is edited.

To save a lesson on disk, you would select #4 (SAVE LESSON ON DISK), which will ask you for a filename for the lesson to be saved. The filename selected can not be

longer than 8 characters, and with the disk version a 3 character extension can be added to the filename. Pressing "ENTER" will then save the lesson on disk and return to the main menu.

Finally, when you are ready to study the lesson, selection #5 is entered. The questions will be randomized. You will be asked if you want all spelling checked? If you answer Y, then the answer must match exactly with the answer stored in memory. Selecting N will count an answer correct if the first three characters match. Upon completion of this section, you will be asked if you wish to go through the questions again; if not, you are returned to the main menu.

COLOR TUTOR is a great program for students. COLOR TUTOR aids in subjects like Language, Sciences, Social Studies, History, Math and Vocabulary drills. COLOR TUTOR can be utilized by students from the third grade all the way to college students. This program receives my grade of "A". To have the ability to recall any lesson at any time is a feature of great value to any student. COLOR TUTOR allows a student to save lessons that can be reviewed again later to brush-up on certain subjects before test time. COLOR TUTOR is flexible and versatile (well worth the money). COLOR TUTOR helps students begin to develop good study habits by helping them to learn how ask the right questions, and will reinforce their memory by randomly requiring the proper answer to each question. COLOR TUTOR requires a student to concentrate on the study material before him. COLOR TUTOR is truly a self-educational program. If you have a student in your family, or are yourself a student, this program is a must.

I have had a hard time using the word student throughout this review. I keep thinking about teachers. How can this program help Teachers? While this program is well done, I will be discussing the possibility of adding one more feature to COLOR TUTOR with John. An option to allow the questions and answers to be sent to a printer would make COLOR TUTOR one of the most well-rounded pieces of educational software available on the market. COLOR TUTOR is already powerful, versatile and useful. The inclusion of a print feature would open an additional world of potential users. Imagine what a print option could do for a teacher's lesson planning and test preparation.

Larry E. Williams

## INTERNATIONAL COLOR COMPUTER CLUB, INC.

Main Office: 2101 E. Main St., Henderson, TX 75652  
Canadian Branch: P.O. Box 7498, Saskatoon, SK S7N 4L4  
Book & Program Library: 119 County Fair, Houston, TX 77060  
Parts Library: P.O. Box 1220, Henderson, TX 75653  
Voice Line (214) 657-7834 \* 888 Line (214) 657-8147  
World's Largest Color Computer Club

Dear Sir(s):

Thanks for writing.

The International Color Computer Club, Inc. was formed to help people get to know the Color Computer and how it operates, to make available to its members all the information about the Color Computer that we can find, including information which Radio Shack isn't willing to give you. To make programs and parts available so you may extend your library and so that if your computer ever breaks, you will have the parts to repair it without waiting to go through the "Official" Radio Shack channels. The parts library is located at P.O. Box 1220, Henderson, TX.

Programming and Electronics are difficult to learn, and the club is a place you can turn to for help with problems you might have in writing a program or adapting a piece of hardware to it. We cannot solve all problems, but with hundreds of other members "worldwide" with expertise in every aspect of the Color Computer, we can solve most of them.

We also want to save our members MONEY. We receive discounts from 10% to 40% from some of the major suppliers of software and hardware for the Color Computer. In addition, we try to make available all the catalogs and program lists from the larger software suppliers, as many have lots of programs, (too many) and just can't advertise them all. You will find several of these in the new member kit.

We publish a bi-monthly newsletter larger than some "magazines" running from 56 to 80 pages on the average. In which we try to keep you up to date on all the latest events within the club, the latest items to be voted on, the newest findings on the 80-C (CoCo) and several programs which we hope you will find useful or entertaining.

New subscribers receive a new member kit, which contains a tape of programs, a tape caddy, data on the 80-C and many other goodies.

The club maintains a library of books, ROMpacks (R.S. only), and MEMBER WRITTEN programs (in Houston, TX which you may check out (books and ROMpacks) for up to 3 weeks at a time. The programs contained in the library are FREE and do not have to be returned, however, you must send \$2.00 to the library for the cost of the tape and the postage. There is six programs per tape (called packages) and are mixed in a variety for your convenience.

Members may buy/sell/trade with an ad in the newsletter. (FREE) (classified style up to 1/4 page). A display ad will be charged at the standard rate, less 25% to members. The only conditions for the ads are that they must not be offensive and they must be computer related.

I hope you have found this letter informative and decide to join our club. We would really like to have you. I am sure that you will find the benefits of the club worthwhile.

Thanks again for your interest.

\* Temporary until a new phone line is installed.

Sincerely,  
Ron Garrett  
President

## SOME BASIC BASICS

### ABOUT DISK SYSTEMS

Answers to BEGINNERS Questions  
about Disk Systems

After purchasing the computer, the next big decision facing the Computer Owner is whether or not to go into Disk Operations. CoCo owners will probably spend more on the first Disk Drive than the computer cost originally. Of course, you can put some pretty big money into Software, but even then the question looms as to whether you should get an expensive piece of software for a Cassette System with the possibility of obsoleting it if you get a Disk System. When you are first considering the purchase of a Disk System, there are a multitude of questions that need answering. This article is aimed at providing some of the answers.

You may wonder why you should even consider going to Disk. True, Tape works fine with small programs, small data files, etc. But, when you start getting into more serious applications, you are usually dealing with large, sophisticated programs which do not fit into memory. These programs can be

## OS-9\* SOFTWARE

SYSTEM UTILITIES AND  
APPLICATION PROGRAMS  
FOR USE WITH THE OS-9  
OPERATING SYSTEM.  
PROGRAMS DEVELOPED ON  
LARGER OS-9 SYSTEMS NOW  
BEING TRANSPORTED TO  
THE COCO. SEND A SELF-  
ADDRESSED STAMPED  
BUSINESS SIZE ENVELOPE  
FOR THE LATEST DETAILED  
LISTING.

D.P. Johnson  
7655 S.W. Cedarcrest St.  
Portland, OR 97223

\* OS-9 is a trademark of Microware and Motorola Inc.

# PRNTDUMP BASIC

by  
Jeff Euton

Here's a short Extended Basic Program for the CoCo that might be of interest to other CoCo fans. The routine converts CoCo PMODE3 Graphics Memory to serial data in a format compatible with the Integral Data Systems IDS440 Paper Tiger Printer for bit-mapped black & white hard copy. Since Dataproducts Corp. just acquired IDS, we should continue to see Paper Tigers around for a while.

The program allows the operator to select which colors get printed as black, (and which colors get printed as white) by entry of values for each of the 4 possible colors of PMODE3 (C0-C3). For example, with a PMODE3 screen in Color Set 0, we could print yellow, red and blue as black (with the green background printed as white) by selecting C0=4, C1=1, C2=2, C3=3. The non-printing (white) color code is thus set to a value >3, while the printable (black) color code(s) are set to their associated values. There's a little more explanation in the program display while the operator is prompted for the color code entries.

## Other Points Of Interest

- \* Line 16 - Color and Screen Statements can be changed as required
- \* Line 18 - serial printer bit-rate can be changed as required

- \* Line 30 - defaults to Disk System Graphics Page 1 starting at \$0E00; this can be changed to \$0600 for non-Disk Systems
- \* Line 65 - 'vitamin' Poke can be removed for systems that can't handle it
- \* Algorithm could be modified for PMODE4 by changing the horizontal screen resolution (lines 50-110) and the printer horiz resolution (lines 260-300)
- \* The extended basic routine is pretty slow (be patient), maybe a machine code equivalent someday...

```

2 'COCOTIGR.BAS COCO GRAPHICS P
PRINT DRIVER FOR IDS PAPER TIGER
PRINTER
3 CLS: PRINT"COCO-TIGER GRAPHICS
PRINT DRIVER":PRINT" COPYRIGH
T 1983 JEFF EUTON ":PRINT:PRINT"
COLOR CODES 0-3":PRINT"GRN YEL B
LU RED/BUF CYN
MAG ORG":PRINT
4 PRINT"ENTER CORRESPONDING VALU
ES FOR COLOR CODES TO BE PRINTED
(C0=0, C1=1, C2=2, C3=3) ELSE
VALUE >3 FOR NON-PRINT COLORS"
6 INPUT"C0 = ";C0
8 INPUT"C1 = ";C1
10 INPUT"C2 = ";C2
12 INPUT"C3 = ";C3
16 PMODE3,1:COLOR1,2:SCREEN1,0 '
LET'S SEE WHAT WE'RE PRINTING
18 POKE 150,41 '1200 BAUD RS232
PRINTER
20 PRINT#-2,CHR$(3); ' GRAPHICS
MODE
30 M=&H0E00 'START OF GRAPHICS M
EM (WITH DISK
40 FOR V=1 TO 32 '192 VERT LINES
OF 6 LINES/SET
50 FOR H=1 TO 32 '128 HORIZ BYTES
OF 4 DIBITS/BYTE
60 FOR DIBIT=1 TO 4 '4 DIBITS PE
R BYTE
65 POKE 65495,0 'SPEEDUP
70 IF DIBIT=1 THEN MASK=&HC0 'MS
B DIBIT
90 IF DIBIT=2 THEN MASK=&H30 'NS
B DIBIT
100 IF DIBIT=3 THEN MASK=&H0C 'N
SB DIBIT
110 IF DIBIT=4 THEN MASK=&H03 'L
SB DIBIT
120 D=0 'START WITH NULL PRINTER
DATA BYTE
130 B=PEEK(M):B=B AND MASK 'MASK
OUT ALL BUT CURRENT DIBIT

```

```

135 GOSUB 1000 'SELECT PRINTABLE
COLOR(S)
140 IF P=1 THEN D=D OR 1 'SET PR
INTER DATA BIT IF REQ'D
150 B=PEEK(M+32):B=B AND MASK 'G
ET DIBIT FROM NXT VERT LINE
155 GOSUB 1000 'SELECT PRINTABLE
COLORS
160 IF P=1 THEN D=D OR 2 'SET NX
T PRINT DATA BIT IF REQ'D
170 B=PEEK(M+64):B=B AND MASK
175 GOSUB 1000
180 IF P=1 THEN D=D OR 4
190 B=PEEK(M+96):B=B AND MASK
195 GOSUB 1000
200 IF P=1 THEN D=D OR 8
210 B=PEEK(M+128):B=B AND MASK
215 GOSUB 1000
220 IF P=1 THEN D=D OR &H10
230 B=PEEK(M+160):B=B AND MASK '
RETAIN DIBIT FROM 6TH VERT LINE
235 GOSUB 1000 'SELECT PRINTABLE
COLOR(S)
240 IF P=1 THEN D=D OR &H20 'SET
HI-ORDER PRINT DATA BIT IF REQ'
D
250 'NOTE THAT IDS PRINTER DOESN
'T USE 2 HI-BITS OF 8-BIT CHAR
255 POKE 65494,0 'NORMAL SPEED F
OR PRINTING
260 PRINT#-2,CHR$(D);CHR$(D); 'P
MODE 3=HALF HORIZ RESOLUTION
265 IF D=3 THEN PRINT#-2,CHR$(3)
;CHR$(3); 'DBL ETX 'CAUSE IDS D
ROPS 1
270 NEXT DIBIT 'PROCEED TO NXT 2
BITS OF SAME BYTE
280 M=M+1 'NEXT HORIZ BYTE OF 4
DIBITS
290 NEXT H 'NEXT MEM LOCATION
300 PRINT#-2,CHR$(3);CHR$(&HB);
'ETX,VT=PRINT GRAFX LINE
310 M=M+160 'NEXT VERT SET OF 6
LINES
320 NEXT V 'BMP MEM POINTER 6 LI
NES (32 BYTES/LINE)
330 PRINT#-2,CHR$(3);CHR$(2);CHR
$(&HC) ' EXIT GRAPHICS, FF,CR
340 STOP
1000 P=0:IF DIBIT=4 THEN IF B=C0
OR B=C1 OR B=C2 OR B=C3 THEN P=
1
1010 IF DIBIT=3 THEN A=B/4:IF A=
C0 OR A=C1 OR A=C2 OR A=C3 THEN
P=1
1020 IF DIBIT=2 THEN A=B/16:IF A
=C0 OR A=C1 OR A=C2 OR A=C3 THEN
P=1
1030 IF DIBIT=1 THEN A=B/64:IF A
=C0 OR A=C1 OR A=C2 OR A=C3 THEN
P=1
1040 RETURN 'SHIFT DIBITS TO LSB
& CHK SELECTED COLOR(S)

```



KEYBOARD HELPS FAMILIARIZE CHILDREN WITH THE LOCATION OF COMPUTER KEYS. THE GRAPHIC KEYBOARD ENABLES THE USER TO FIND KEYS QUICKLY. HOME KEYS ARE IDENTIFIED AND PROPER FINGERING MAY BE TAUGHT TO OLDER CHILDREN. LESSONS ARE BUILT AROUND ALPHABET PRESENTATIONS AND LETTER DRILLS WITH A GRAPHIC REWARD COMPLETING EACH LESSON. WHILE YOUNG CHILDREN ENJOY KEYBOARD'S LETTER RECOGNITION ACTIVITIES, ADULTS MAY BRUSH UP ON RUSTY TYPING SKILLS. THE 32K VERSION HAS LENGTHIER TIMED DRILLS. DATA TAPE USE IS OPTIONAL WITH BOTH 16K AND 32K VERSIONS. ANY DATA TAPE MADE FOR B5'S SPELLING OR HANGWORD/SCRAMBLE PROGRAMS MAY BE USED WITH KEYBOARD, OR USE KEYBOARD PHONIC DRILL DATA TAPE. (SEE BELOW)

16K Cassette - \$19.95 / 32K Cassette - \$24.95 / 32K Disk - \$26.95

KEYBOARD Phonic Drill Data Tape - \$8.95

INTEGRATE LEARNING WITH USE OF THIS DATA TAPE AND KEYBOARD PROGRAM. STUDENTS TYPE LETTER, WORD, AND SENTENCE DRILLS USING COMMON VOWEL AND CONSONANT COMBINATIONS. REINFORCE PHONIC STRUCTURES WHILE LEARNING THE KEYBOARD. MUST BE USED WITH KEYBOARD PROGRAM (ABOVE). MAY NOT BE USED ALONE.

For use with TRS-80 Color Computer\* & TDP-100\*  
with Extended Basic

ASK FOR DEALER DEMONSTRATION TODAY!



Brochure describing other fine  
B5 programs available upon request.

\*Reg. trademark Tandy Corp.  
If unavailable locally,  
order direct.

**B5 Software**

DEPT. M

1024 Bainbridge Pl., Columbus, Ohio 43228 • (614) 276-2752



# CoCo HEADQUARTERS

Looking to unlock the capacity of your Color Computer?  
Search no more.....

**TOLL FREE**  
**1-800-251-5008**



## SPECIALS

1.1 Extended Basic w/bk	\$ 69.95	26-3026 Color Computer 2 16k	\$ 149.95
64k Memory Upgrade	\$ 59.95	26-3026E Extended CoCo 2 16k	\$ 224.95
RS 1.1 Disk Controller	\$ 149.95	26-3003 64k Extended CoCo	\$ 329.95
1.2 Color Basic Rom	\$ 29.95	26-3011 MC-10 CoCo	\$ CALL
Amdek Disk Drives	\$ 499.95	26-1261 TP-10 Thermal Printer	\$ 89.95
26-3022 CoCo Drive 0	\$ 349.95	26-1192 CGP-115 Printer/Plotter	\$ 179.95
26-3029 CoCo 2 Drive 0	\$ 349.95	C. Itoh Banana Serial 50 cps	\$ 249.95
26-3023 Drive 1	\$ 239.95	C. Itoh Prowriter 8510 (par)	\$ 399.95
Super Pro Keyboard Kit	\$ 64.95	26-1268 CGP-220 Color Jet Ptr.	\$ 639.95
26-3016 RS Keyboard kit	\$ 34.95	26-3024 RS Multi-Pac Interface	\$ 149.95

## ACCESSORIES

RS D.C. Modem IB	\$ 89.95	Elephant Disks ssdd	\$ 22.95
Novation J-Cat Modem	\$ 129.95	Verbatim Disks ssdd	\$ 27.95
RS D.C. Modem II	\$ 179.95	Kraft Joystick	\$ 39.95
Hayes SM 300 Modem	\$ 239.95	CoCo Switcher	\$ 39.95
USR Password 300/1200	\$ 449.95	26-3020 4 pin DIN cable	\$ 5.29
Hayes/USR/Banana cables	\$ 19.95	Botek ser/par Interface	\$ 69.95

## SOFTWARE & BOOKS

OS-9 (req. 64k)	\$ 64.95 (Disk)	Color Computer Graphics	\$ 5.95
Basic-09 (req. OS-9)	\$ 89.95 (Disk)	CoCo Assembly Prog.	\$ 6.95
Color Logo	\$ 44.95 (Rom)	CoCo Programs	\$ 9.95
MSI Diskutil	\$ 19.95 (Disk)	101 CoCo Programs	\$ 9.95
MSI Maillist	\$ 24.95 (Disk)	Programming the 6809	\$ 14.95
MSI Color Finance	\$ 49.95 (Disk)	Basic Faster and Better	\$ 29.95
Elite-Calc	\$ 44.95 (C or D)	Pooyan by Konami (32k)	\$ 34.95 (C & D)
Colorcom/E	\$ 49.95 (Disk)	Sea Dragon (32k)	\$ 34.95 (C or D)

\*\*\*\*\*

**TOLL FREE**  
**TENNESSEE**  
**1-800-545-2502**

All of the above units covered by our 120 day carry in warranty.

TRS-80 Trademark Tandy Corporation.  
Prices subject to change without notice.

Write for our FREE newsletter!

Call for prices and availability of your other favorite software  
All advertised items subject to availability  
Prices do not include shipping & handling

**TOLL FREE**  
**1-800-251-5008**

FACTORY DIRECT  
PURE RADIO SHACK EQUIPMENT  
"THE COCO PROFESSIONALS"



DELKER ELECTRONICS, INC.  
P.O. BOX 897 DEPT D  
SMYRNA, TN 37167  
800-251-5008  
800-545-2502 (TENNESSEE)  
615-459-2636 (TENNESSEE)  
615-254-0088 (NASHVILLE)

## DISK QUESTIONS

Continued from page 27

arranged so that you call only the part you need at the moment into RAM from tape or disk. With a Tape System, this takes minutes, where with Disk, it takes only seconds. The same thing is true of data storage, only more so, because data files can become much larger than the programs that generate them.

Cassette Tapes must be searched sequentially - from one end to the other. Disks are accessed randomly - the head will go to the proper place in a split second, and get or put the desired information. Also, Tapes read or write a LOT more slowly, even after the proper location is found. With Tape, you need to do a lot of manual shifting of the controls and cassettes. With Disk, most of this is automatic. And, the more sophisticated the Disk Operating System, the more automatic it is, and the more things you can do with it.

### Some Questions and Answers

Let's say I have decided to buy a disk system. Do I understand correctly that I need a Controller Board and Software, as well as the Disk Drive (or Drives) to make up a Disk System?

Yes. The Controller plugs into the Cartridge Slot, and a cable goes from there out to the Drives. The Controller is normally only a Hardware item, but for the Color Computer, there is also Software in the controller; the DISK BASIC ROM.

DISK BASIC? Is that a replacement for BASIC?

No, it adds more capability to the BASIC that is already in the CoCo. You are using BASIC plus EXTENDED BASIC

plus the DISK BASIC. Also, there are the Disk Commands in the DOS, or the Disk Operating System.

Is the RS Disk Controller the only one that works with the CoCo?

Not necessarily. There are a few others being advertised, but ANY Disk Controller you use must be Color Computer COMPATIBLE. The F & D Controller for the Color Computer looks GOOD. They supply a PC Board with a Gold Plated edge connector, which uses a new Timing Chip that eliminates any adjustments. They can supply some of the "special" parts, but you must be able to assemble and solder Digital Electronics to use this Controller (see Dec. CMJ for a full Review). So far, just about anything that uses the Color Computer is using the RS Disk Controller.

I understand that the Color Computer disk drives are 35 track. Will the controller actually handle 40 tracks?

The RS (Microsoft) software is written to only support 35 Track, Single Sided Disk Drives, but the controller itself will work with 40 tracks. In fact, the controller could care less. It has NOTHING to do with how many tracks. It is the Software that determines that. We have a routine in the Data Comp FLEX(tm) Conversion that would FORMAT a Disk with 255 tracks through the RS controller IF there were a drive that could read and write that many.

Will the controller work with both Single and Double Density?

Again, the controller will do either single or double density; it is the Software that determines which way it is to be done. For instance, in the FLEX(tm) System conversions for the CoCo, which uses the RS controller, you can use either Single or Double Density, where the RS system, using the same controller, is strictly Double Density. The Disk DRIVE must be high enough quality to work Double Density, though.

Of course, there are still some System around that use only Single density. What is the difference between Single and Double Density?

New technology has made it possible to build Controller Chips and Disk Drive Read/Write Heads that can handle the Data faster. This allows the Data to be written more compactly on the Disk Surface, providing about 90% more Data in the same amount of Disk space.

Then, whether I wanted to use the RS Disk System, or some other Disk Drives, I would need the RS Controller board?

As of right now, yes. And, if you get a 40 track drive, you can still use it with the RS Software, AND have the extra tracks available for use with some of the other Disk Operating Systems, such as FLEX, which can use the 40 tracks (this ALSO applies to the Double SIDED Drives). One advantage of the CoCo is that you can step your way up to a pretty sophisticated system this way.

We're talking about 5 1/4 inch floppy disk systems. What about 8 inch?

That is a whole different ballgame. The Data transfer rate for 8" Systems is twice as fast as that of the 5 1/4" Systems. There are controllers that could handle both sizes, and possibly

on the Color Computer, but now you are looking at \$3000 or so and Hardware modifications to the Computer. The biggest problem is the Clock speed of the Color Computer; Radio Shack (actually, Microsoft) had to use some 'tricks' to get the Double Density on the 5 1/4" Systems (these 'tricks' cause a few problems for the CoCo OS-9, also).

How many disk drives will the RS controller handle?

It has four Drive Select lines, so it can control 4 Disk Drives. You can use four RS Drives or, with proper software, you can use one of the Drive Select Lines to select Sides on Double Sided Drives (the FLEX Conversions use the Drive 3 Select Line, since THAT line on the Color Computer Disk Controller is the Side Select line on most of the newer Disk Drives). (You can't get a RS Double Sided Drive for the Color Computer, but other Drives are available with both Double Sided and 40 or 80 Track capacities.) If you use that one Control line for Side Select, you can have only three drives, but, with two sides on each one, you get six Disk Surfaces compared to the maximum of four that is available from RS. Again, the Software determines, within limits, how to use what is available.

What other advantages are there to having Double Sided Drives?

Most people are going to need more than ONE Single Sided Drive. Rather than pay two or three hundred dollars for another Disk Drive, you can get a Double Sided Drive for about a hundred more. There is a very short BASIC Program floating around (check the Bulletin Boards and Magazines) that will make the RS DOS think your Double Sided Drive is two Single Sided Drives, IF you have 64K RAM so that the Disk ROM can be changed.

What are some reliable names in disk drives?

The Qume Thinlines have been working very well. Tandon was good, but some problems have shown up with the later units. The Teac Drives have given very little trouble, and there are other good Drives available.

Where can I find a Controller and one of these good Drives?

Data-Comp, as well as many other Disk Drive suppliers, would be more than happy to help out in that respect.

Can you think of anything Else I should know before I rush out and plunk down my cash?

Just ASK QUESTIONS, and buy from someone with GOOD ANSWERS! If the supplier you are talking too uses the SAME Disk Drives in \$5,000 to \$20,000 Business Computer Systems, they should be good enough for the CoCo. Remember, there are GOOD prices, and there are CHEAP prices. Enough said!!

For more information, see the article by Dr. Bud Pass in the Sept. '83 issue of Color Micro Journal titled "Why CoCo Can't READ".

Jim LaLone

### COLOR COPY

COLCOPY is a menu driven copy utility that copies data files or programs: disk to tape, tape to disk or disk to disk. It also kills files or programs.

Many options are provided: copies basic programs, machine language programs or data files, allows selection by groups of filenames or extensions, individual files by menu selection, writes multiple copies of files to tape, backup a disk to tape, restore a disk from tape, copies files in alphabetic sequence and much more.

Written in basic with machine language sub-routines. Includes program on cassette and instructions.

Requires 32K, DOS.

ONLY \$15pp

### CASSETTE DIRECTORY

REVISED! Displays hex addresses to printer or screen. Still only \$2.50 or FREE with any product - ask for it!

FREE CATALOG with order or send self addressed stamped envelope.

Send check or money-order to:

**COCOPRO**  
**P.O. BOX 37022**  
**ST. LOUIS, MO 63141**

Postage paid on all pre-paid orders in U.S.  
Missouri residents add 5.625 percent sales tax.

**DEALER INQUIRES INVITED**

# '68

**\$2.95<sup>USA</sup>**

Australia	A \$ 4.75	New Zealand	NZ \$ 6.50
Singapore	S \$ 9.45	Hong Kong	H \$23.50
Malaysia	M \$ 9.45	Sweden	30:-SEK

## MICRO JOURNAL

You have **HEARD** about **FLEX(tm)**; now **LEARN** about **FLEX**.  
Subscribe to the **'68' Micro Journal!**

You have **HEARD** about the power of the 6809 Computer Chip  
in your Color Computer; now **LEARN** how to use this power.  
Subscribe to the **'68' Micro Journal!**

You have **HEARD** about the "Multi-User, Multi-Tasking" **UNIX(tm)** style  
Operating Systems (such as **OS-9(tm)** and **UniFLEX(tm)**); now **LEARN** about them.  
Subscribe to the **'68' Micro Journal!**

You have **HEARD** about all the Software available for the 68xx Series Based  
Computer Systems; now **LEARN** about this Software **AND** the Computer Systems.  
Subscribe to the **'68' Micro Journal!**

**'68' Micro Journal** provides **INFORMATION** thru:

**Regular MONTHLY Columns** like "FLEX Users Notes" by Ron Anderson, "OS-9 Users Notes" by Peter Dibble, "C Users Notes" by Norm Commo, "Color Users Notes" by Bob Nay, etc.

**Regular MONTHLY Features** like the "Bit Bucket", Reviews, Articles, Programs, etc., covering Software Development, Business Use, Operating System operation, hints, etc.

**DON'T MISS A SINGLE ISSUE; SUBSCRIBE NOW!**

### SUBSCRIPTION RATES

USA

1 Year \$24.50, 2 Year \$42.50, 3 Year \$64.50

\*FOREIGN SURFACE Add \$12.00 per Year to USA Price

\*FOREIGN AIRMAIL Add \$36.00 per Year to USA Price

\*\*CANADA & MEXICO Add \$5.50 per Year to USA Price  
Cash (USA) or drawn on a USA Bank!!!



OK, PLEASE ENTER MY SUBSCRIPTION

Bill My: Master Charge ☐ — VISA ☐

Card # \_\_\_\_\_ Exp. Date \_\_\_\_\_

For ☐ 1-Year ☐ 2 Years ☐ 3 Years

Enclosed: \$ \_\_\_\_\_

Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

My Computer Is: \_\_\_\_\_

68 Micro Journal  
5900 Cassandra Smith Rd.  
Hixson, TN 37343

